

You have Downloaded, yet Another Great Resource to assist you with your Studies ©

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexampapers.co.za





# NATIONAL SENIOR CERTIFICATE

**GRADE 12** 

# **ENGINEERING GRAPHICS AND DESIGN P2**

**NOVEMBER 2013** 

**MARKS: 100** 

TIME: 3 hours

This question paper consists of 6 pages.

## **INSTRUCTIONS AND INFORMATION**

- 1. This question paper consists of FOUR questions.
- 2. Answer ALL the questions.
- 3. ALL drawings are in third-angle orthographic projection, unless otherwise stated.
- 4. ALL drawings must be completed using instruments, unless otherwise stated.
- 5. ALL answers must be drawn accurately and neatly.
- 6. ALL the questions must be answered on the QUESTION PAPER as instructed.
- 7. ALL the pages must be re-stapled in numerical sequence, irrespective of whether the question was attempted.
- 8. Time management is essential in order to complete all the questions.
- 9. Print your examination number in the block provided on every page.
- 10. Any details or dimensions not given must be assumed in good proportion.

FOR OFFICIAL USE ONLY											
QUESTION	MARK	(S OBT	AINED	1/2	SIGN	MC	DERAT	ED	1/2	SIGN	
1											
2											
3											
4											
TOTAL											
	2	0	0			2	0	0			

FINAL CONVERTED MARK	CHECKED BY
100	
100	


COMPLETE THE FOLLOWING:
CENTRE NUMBER
CENTRE NUMBER
EXAMINATION NUMBER
EXAMINATION NUMBER



Copyright reserved

Please turn over

Engineering Graphics and Design/P2 NSC DBE/November 2013



#### **QUESTION 1: ANALYTICAL (MECHANICAL)**

A detailed drawing of a front stub axle, a title block and a table of questions. The drawing has not been prepared to the indicated scale.

#### Instructions:

Complete the table below by neatly answering the questions, which all refer to the accompanying drawing and the title block.

	QUESTIONS		ANSWER	S	
1	On what date was the drawing checked?			1	Τ
2	What is the name of the engineering firm?			1	Ī
3	What scale is indicated for the drawing?			1	T
4	What treatment must the stub axles undergo?			1	Ī
5	On what date was the axle angle revised?			1	
6	What is the drawing number?			1	
7	What would VIEW 1 be called?			1	
8	How many surfaces need to be machined?			1	
9	How many threaded holes are there in the stub axle?				
10	What production method is required to achieve the finish on the stub axle?				
11	What type of section is shown in VIEW 3?			1	
12	Name the encircled feature at 1.			1	
13	Name the feature at 2.			1	
14	What is the thickness of the feature at 3?			1	
15	Name the encircled feature at 4.			2	
16	Name the type of curve at 5.			2	
17	Determine the angle between the centre lines at 6.			2	
18	What is the depth of the undercut?			2	Ī
19	Determine the complete dimensions at: A B	С	D	4	
20	In the space provided in the title block (ANSWER 20), draw, in near projection system used.	at freehand	, the symbol for the	4	
			тоти	AL 30	Ī

DRAWING No. AWF 3628 W TREATMENT: HARDENING <u>TURNI</u>NG REMOVE ALL BURRS AND SHARP 54 SOMTSEU ROAD **PRECISION** KINGSMEAD DURBAN ENGINEERING 4000 2 031 335 1600

FRONT STUB AXLE

QUANTITY: 9 500 UNITS

**ANSWER 20** 

2. AXLE HOLES 2013/05/16 1. AXLE ANGLE 2013/05/15 REVISIONS DATE 2013/04/10 DRAWN: JVL CHECKED: KC 2013/05/12 APPROVED: SC 2013/05/22


**EXAMINATION NUMBER EXAMINATION NUMBER** 

EDGES.

TITLE

FILE NAME: T-SA FS AXLE.dwg





#### **QUESTION 2: LOCI**

NOTE: Answer QUESTIONS 2.1 and 2.2.

#### 2.1 MECHANISM

#### Given:

A schematic diagram of crank AB, connecting rod BC and rocker CD.

A and D are fixed points.

#### Motion:

As crank AB rotates in an anticlockwise direction, rocker CD oscillates back and forth.

#### Instructions:

Using the given diagram, trace the locus generated by point P for ONE revolution.

Show ALL necessary construction.

[14]

ASSESSMENT CRITERIA						
1	CONSTRUCTION	6				
2	LOCUS OF P	8				
	SUBTOTAL 14					

## 2.2 CHUTE

#### Given:

The front view of the shaft of a chute with the profile of the chute in the start and end positions.

#### Specification:

Direction: left-hand


• Turns: ONE AND A HALF

#### Instructions:

Draw, to scale 1:1, the chute around the shaft.

Show ALL necessary construction.

[20]



ASSESSMENT CRITERIA							
1	CL + CONSTRUCTION	8					
2	2 CHUTE 12						
	SUBTOTAL 20						
TOTAL 34							
EXAMINATION NUMBER							

EXAMINATION NUMBER



#### **QUESTION 3: ISOMETRIC DRAWING**

## Given:


- The front view, top view and left view of a bracket
- The position of point S on the drawing sheet

#### Instructions:

Using scale 1: 1, convert the orthographic views of the bracket to a sectional isometric drawing on cutting plane A-A.

- Make S the lowest point of the drawing.
- Show ALL necessary construction.
- NO stencils may be used.
- NO hidden detail is required.

[41]




	ASSESSMENT CRITERIA							
1	AUX' VIEW + PLACEMENT	2						
2	BASE	8						
3	HEXAGONAL PRISM	10						
4	CIRCLES	5						
5	SECTION	12						
6	HATCHING	4						
	TOTAL	41						
	EVALUATION NUMBER							

EXAMINATION NUMBER


EXAMINATION NUMBER


 $\stackrel{
ightarrow}{\sf S}$ 

Copyright reserved



# **GRUB SCREW [6]**







M24 NUT [1]




WASHER [2]






**EXPLODED ISOMETRIC DRAWING** 



PULLEY [3]



**BRACKET** [5]



#### **QUESTION 4: MECHANICAL ASSEMBLY**

#### Given:

- The exploded isometric drawing of the parts of a pulley assembly, showing the position of each part relative to
- Orthographic views of each of the parts of the pulley assembly

#### Instructions:

- Answer this question on page 6.
- Draw, to scale 1:1 and in third-angle orthographic projection, the following views of the assembled parts of the pulley assembly:
- 4.1 A sectional front view on cutting plane A-A, as seen from the direction of the arrow shown on the exploded isometric drawing. The cutting plane, which passes through the vertical centre line of the assembly, is shown on the right view of the bracket (part 5).

#### 4.2 The right view

• ALL drawings must comply with the guidelines contained in the SANS 10111.

- Show THREE faces of the M24 nut and ALL necessary construction. You may not use a stencil.
- NO hidden detail is required.

#### Add the following features to the drawing:

- The cutting plane A-A
- Label the sectional view SECTION A-A.

[95]

PARTS LIST					
PART	QUANTITY	MATERIAL			
1. M24 NUT	1	MILD STEEL			
2. WASHER	1	MILD STEEL			
3. PULLEY	1	CAST IRON			
4. BUSH	1	BRONZE			
5. BRACKET	1	CAST IRON			
6. GRUB SCREW	1	MILD STEEL			
7. SHAFT	1	MILD STEEL			

#### TITLE

# **PULLEY ASSEMBLY**


# **PRECISION**

**ENGINEERING** 

54 SOMTSEU ROAD KINGSMEAD DURBAN 4000 **31** 335 1600

ALL DIMENSIONS ARE IN MILLIMETRES.

ALL UNSPECIFIED RADII ARE R3.





	ASSESSMENT CRITERIA						
SECTIONAL FRONT VIEW							
		POSSIBLE	OBTAINED	SIGN	MODERATED		
1	M24 NUT + WASHER	8½					
2	PULLEY	16					
3	BRACKET	9½					
4	BUSH	3					
5	GRUB SCREW	3					
6	SHAFT	7					
7	HATCHING	10					
;	SUBTOTAL 57						
	RIGHT VIEW						
1	M24 NUT + WASHER	6					
2	PULLEY	8					
3	BRACKET	71/2					
;	SUBTOTAL	21½					
		GENE	RAL				
1	CENTRE LINES	7					
2	CUTTING PLANE + LABEL	31/2					
3	ASSEMBLY	6					
	SUBTOTAL	16½					
	TOTAL	95					
EXAMINATION NUMBER							

**EXAMINATION NUMBER** 

6