

You have Downloaded, yet Another Great Resource to assist you with your Studies ③

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexampapers.co.za







basic education

Department: Basic Education **REPUBLIC OF SOUTH AFRICA**

MECHANICAL TECHNOLOGY (AUTOMOTIVE)

GUIDELINES FOR PRACTICAL ASSESSMENT TASKS

GRADE 12

2023

These guidelines consist of 42 pages.

TABLE OF CONTENTS

1.	INTRODUCTION/BACKGROUND	PAGE 3
2.	TEACHER GUIDELINES	4
	 2.1 Administration of PAT 2.2 Assessment of PAT 2.3 Moderation of PAT 2.4 Consequences of absence/non-submission of tasks 2.5 Declaration of authenticity 	4 4 5 6
3.	CANDIDATE GUIDELINES	7
	Instructions to the candidates	7
4.	SPECIALISATION	8
	Automotive	8
	INTRODUCTION	8
	TASK 1: Compression and cylinder leakage tests (COMPULSORY 11 – 17 TASK 2: Gas analysing TASK 3: Wheel balancing TASK 4: Charging system TASK 5: Fuel pressure test TASK 5: Fuel pressure test TASK 6: Engine components measurement and calculations TASK 7: Computerised diagnostic scanner	r) 11 17 20 24 27 30 36
5.	SUMMARY MARKSHEET – TOTALS	39
6.	ANNEXURE A – SPECIFICATIONS SHEET	40
7.	CONCLUSION	42

1. INTRODUCTION/BACKGROUND

The 18 Curriculum and Assessment Policy Statement subjects which contain a practical component all include a practical assessment task (PAT). These subjects are:

- AGRICULTURE: Agricultural Management Practices, Agricultural Technology
- ARTS: Dance Studies, Design, Dramatic Arts, Music, Visual Arts
- SCIENCES: Computer Applications Technology, Information Technology, Technical Sciences, Technical Mathematics
 - SERVICES: Consumer Studies, Hospitality Studies, Tourism
- TECHNOLOGY: **Mechanical Technology**, Civil Technology, Electrical Technology, and Engineering Graphics and Design

A practical assessment task (PAT) mark is a compulsory component of the final promotion mark for all candidates offering subjects that have a practical component and counts 25% (100 marks) of the end-of-year examination mark. The PAT is implemented across the first three terms of the school year. This is broken down into different tasks or a series of smaller activities that make up the PAT. The PAT allows for candidate to be assessed on a regular basis during the school year and it also allows for the assessment of skills that cannot be assessed in a written format, e.g. test or examination. It is therefore important that schools ensure that all candidates complete the practical assessment tasks within the stipulated period to ensure that candidate are resulted at the end of the school year. The planning and execution of the PAT differs from subject to subject.

The PAT allows the teacher to observe applied competence directly and systematically. The PAT comprises the application/performance of the knowledge, skills, and values particular to that subject and counts 25% of the total promotion/certification mark out of 400 for the subject.

The PAT is implemented across the first three terms of the school year.

Any profession requires of its members a thorough grounding in both theory and practice, and MECHANICAL TECHNOLOGY is no exception. It is emphasised that the goal of the practical assessment task is to produce a skilled candidate in each specialisation field. A nation's true wealth is in its manpower and education that should aim to develop the talents of a candidate so that he/she can contribute to the well-being of the society by using and developing scientific and technological resources.

To prepare a candidate in MECHANICAL TECHNOLOGY'S specialisation fields, one must focus on the following:

- An attitude where the candidate can selectively use ideas, gather evidence and facts and draw logical conclusions to put them to good use creatively and with imagination;
- A capability to express ideas and information clearly by speech, writing, drawing and manufacturing and
- A willingness and capability to accept and exercise responsibility, to make decisions, and to learn by experience.

Attributes such as these cannot all be achieved in a classroom. A sound knowledge of engineering sciences is essential to equip the MECHANICAL TECHNOLOGY candidate with the necessary practical capabilities for the required processes. Practical training is the application of acquiring essential skills to bridge between trade theory and practice.

Practical application in the workshop must therefore be made an interesting and challenging experience to develop the candidates physically and mentally. The candidates must show his/her initiative, curiosity, and persistence in learning. In order to stimulate and develop self-confidence the granting of some degree of responsibility during the practical application is very important.

2. **TEACHER GUIDELINES**

2.1 Administration of the PAT

Teachers are requested to make copies of the different specialisation PAT documents. These documents need to be handed out to the candidates at the beginning of the year. The practical assessment task for Grade 12 is externally set, internally assessed and externally moderated.

Teachers must attach due dates for the different facets of the PAT (refer to the CAPS document). In this manner, candidates can easily assess their progress. Where formal assessments take place, it is the responsibility of the teacher to administer assessment.

The PAT should be completed within the first three terms. The PAT should be completed under controlled conditions (refer to Mechanical Technology SPECIALISATION: CAPS Grade 10-12).

Teachers MUST compile the manufacturer's specifications of the engines and vehicles available in their workshops before the tasks can commence. See ANNEXURE A as an example of a specification sheet. Candidates must have access to these specification sheets during the tasks. Teachers must perform all the tasks prior to assessing candidates so that they can identify possible challenges and the final results. It provides the teacher with insight into possible challenges regarding equipment or tools and what possible procedures he/she needs to follow in the workshop in order to complete the PAT.

NOTE: The candidate must complete the test procedures practically, without the worksheet in hand, while the teacher assesses the procedure according to the marking guidelines. After the procedure has been completed, the worksheet is handed to the candidate to complete the reasons, readings etc.

TASK 6: The candidate must be provided with WORKSHEET 6.2 during the assessment as the candidate has to record his/her own measurements and perform the necessary calculations.

2.2 Assessment of PAT

Frequent and developmental feedback is needed to ensure the necessary guidance and support to the candidates.

Both formal and informal assessment should be conducted to ensure that the embedded skills are developed. Informal assessment can be conducted only to monitor the progress of the candidates. Formal assessment should always be conducted and recorded by the teachers.

On completion of each task in each term, the marks for the completed task need to be recorded on the school administration system.

2.3 Moderation of PAT

The tasks, projects, assessment criteria and the mark sheets must be presented to the moderator during moderation of the PAT.

The moderator should be able to call on a candidate to explain and demonstrate the functions, principles and skills during the moderation.

On completion, the moderator will, if necessary, adjust the marks of the group upwards or downwards depending on the decision reached as a result of moderation.

Tasks must be clearly marked with the correct date, initials, surname and signature of each candidate.

2.4 Consequences of absence/non-submission of tasks.

If a candidate's practical assessment task is incomplete or unavailable with a valid reason, the candidate may be given three weeks before the commencement of the final end-of-year examination to submit the outstanding task. Should the candidate fail to fulfil the outstanding PAT requirement, such a candidate will be awarded a zero mark for that PAT component.

A candidate's results are regarded as incomplete if the candidate did not submit any one of the PAT tasks. Based on the decision of the head of the assessment body, the candidate will be given another opportunity. Should the candidate fail to fulfil the outstanding PAT requirement, the marks for this task will be omitted and the final mark for Mechanical Technology will be adjusted for promotion purposes in terms of the completed tasks. If any tasks are still outstanding, the candidate runs the risk of not being resulted at the end of the year.

2.5 Declaration of Authenticity

NAME OF THE SCHOOL:

NAME OF CANDIDATE:

(FULL NAME(S) AND SURNAME)

NAME OF TEACHER:

I hereby declare that the tasks submitted for assessment are my own, original work and has not been previously submitted for moderation.

SIGNATURE OF CANDIDATE

DATE

As far as I know, the above declaration by the candidate is true and I accept that the work offered is his or her own.

SIGNATURE OF TEACHER

DATE

SCHOOL STAMP

3. CANDIDATES' GUIDELINES

Instructions to the candidates

- The practical assessment task (PAT) consists of a compulsory task in **Automotive**. The compulsory task could be completed during any of the three terms, as set out in this document. (Also see CAPS document)
- All tasks must be completed according to the time frames as set out in this document.
- Candidates are to actively engage in all practical assessment tasks.
- Candidates who are uncooperative will receive demerits or a zero mark for that particular section of the work.
- Candidates who act unsafely in the workshop and place other candidates in danger, will be given additional corrective measures to improve their safety awareness.
- Your tasks must be completed fully by end of August 2023 in order to be ready for provincial and national moderation.
- Your worksheets need to be **clearly marked** with your name, surname, signature and date of assessment.
- At least one task must be completed each term. The compulsory task must be completed during Term 1, 2 or 3.
- The candidate must be present and available to explain and demonstrate the functions, principles and skills during the moderation.

4. SPECIALISATION: AUTOMOTIVE

Term: 1 to 3 Starting date: January 2023 Completion date: August 2023

INTRODUCTION

This section comprises SEVEN practical tasks:

TASK 1: Cylinder compression and leakage tests is a **COMPULSORY** task.

Choose any THREE tasks from the remaining SIX tasks (TASKS 2–7), namely:

- TASK 2: Gas analysing
- TASK 3: Wheel balancing
- TASK 4: Charging system
- TASK 5: Fuel pressure test
- TASK 6: Engine components measurement and calculations
- TASK 7: Computerised diagnostic scanner

NOTE: Number of tasks = 4 (1 + 3)

The teacher must explain and demonstrate the knowledge and skills that will be assessed during these tasks. Due dates for the completion of the tasks should also be communicated to the candidates.

Activity outcome

- Candidates apply theoretical knowledge in practice with regard to:
 - o Safety, tools, maintenance and systems and control
 - Correct use of tools and equipment
 - \circ $\;$ Use equipment to diagnose faults in the engine
- These tasks must be done under the supervision of the teacher and the candidates should be assessed while performing these tasks.

TASK 1 (COMPULSORY)

TASK 1: CYLINDER COMPRESSION AND LEAKAGE TESTS

- WORKSHEET 1.1 Cylinder compression and leakage tests Questions
 - Answer the questions on WORKSHEET 1.1.
- WORKSHEET 1.2 Cylinder compression test Procedure
 - Perform the tasks on WORKSHEET 1.2.
 - Record the findings and conclusions on WORKSHEET 1.2.
 - Use the specification manual to obtain specifications for the engine used to conduct the compression tests and record the findings on ANNEXURE A.

• WORKSHEET 1.3 – Cylinder leakage test – Procedure

- Perform a cylinder leakage test on a four-cylinder, four-stroke petrol engine.
- Record the findings and conclusions on WORKSHEET 1.3.

TASK 2: GAS ANALYSING

- WORKSHEET 2.1 Gas analysing Questions
 - Answer the questions on WORKSHEET 2.1.
- WORKSHEET 2.2 Gas analysing Procedure
 - Perform the tasks on WORKSHEET 2.2.
 - Use the specification manual to obtain readings for the engine used to conduct the gas analysis test and record the findings on ANNEXURE A.

TASK 3: WHEEL BALANCING

- WORKSHEET 3.1 Wheel balancing Questions
 - Answer the questions on WORKSHEET 3.1.
- WORKSHEET 3.2 Wheel balancing Procedure
 - Perform the tasks on WORKSHEET 3.2.
 - Use a wheel balancing machine to balance a wheel.

TASK 4: CHARGING SYSTEM

- WORKSHEET 4 Charging system Procedure
 - o Identify the components of the alternator.
 - Perform the charging system test procedures on a vehicle.
 - Test the alternator components on WORKSHEET 4.

TASK 5: FUEL PRESSURE TEST

- WORKSHEET 5.1 Fuel pressure test Questions
 - Answer the questions on WORKSHEET 5.1.
- WORKSHEET 5.2 Fuel pressure test Procedure
 - Perform the fuel pressure test procedures on a fuel system.
 - Record the findings on WORKSHEET 5.2.

TASK 6: ENGINE COMPONENTS MEASUREMENT AND CALCULATIONS

- WORKSHEET 6.1 Engine components measurement and calculations Questions

 Answer the questions on WORKSHEET 6.1.
- WORKSHEET 6.2 Engine components measurement and calculations Procedure
 Perform the engine components measurement procedures on an engine.
 - Record the findings on WORKSHEET 6.2.

TASK 7: COMPUTERISED DIAGNOSTIC SCANNER

- WORKSHEET 7.1 Computerised diagnostic scanner Questions
 - Answer the questions on WORKSHEET 7.1.
- WORKSHEET 7.2 Computerised diagnostic scanner Procedure
 - Perform the computerised diagnostic scanning procedures on a vehicle and record the findings on WORKSHEET 7.2.

THE FOLLOWING TASK IS COMPULSORY

TASK 1: CYLINDER COMPRESSION AND LEAKAGE TESTS (COMPULSORY)

WORKSHEET 1.1 – QUESTIONS

QUESTIONS			
1.1.1. Tabulate THREE differences betw cylinder leakage test.	een the cylinder compression test and the	6	
Cylinder compression test	Cylinder leakage test		
1.1.2. Describe FOUR precautions and t when conducting the compression	he reasons why they must be adhered to, test.	8	
Precaution	Reason		
<u> </u>			



1.1.3. 4 State FOUR causes of low compression in an engine. 3 1.1.4. State THREE faults that can develop due to low compression in an engine. 1.1.5. 2 Explain the meaning of the expression engine compression. 1.1.6. Name TWO compression tests that can be done on an internal combustion 2 engine. 1.1.7. 1 After which compression test could the reading be higher? 2 1.1.8. Give TWO reasons for a higher compression reading in QUESTION 1.1.7. TOTAL – Cylinder compression and leakage tests – Questions 28

TASK 1: COMPRESSION TEST

WORKSHEET 1.2 – PROCEDURE

DRY	COMPRESSION TE	ST				
1.2.1	Conduct a dry com	pressi	on test.			
			PROCEDURE		MARK	TOTAL
(a)	Obtain the compres	ssion p	pressure specification.		1	
<i>a</i> ,	_	ΤW	O REASONS:			
(b)	Test the battery voltage.				3	
(-)						
(c)	Start the engine.				1	
(d)	Check if engine is	RE	ASON:			
	at operating temperature.				2	
(e)	Switch off the engir	ne.			1	
(f)	Number the spark p	olug H	T leads according to the	cylinder.	1	
(g)	Remove the spark	plug H	T leads.		1	
(h)	Clean around the spark plugs before removing them.					
()					2	
(i)	Remove the spark	plugs.			4	
(j)	Remove the air filter.	RE	ASON:		2	
(k)	Disable the ignition	syste	m; if not, remove HT lea	d from coil.	1	
(I)	Disconnect the fuel	suppl	у.		1	
(m)	Fit the compression	n teste	r to the cylinder.		4	
(n)	Fully open the throt	tle val	ve.		4	
(0)	Crank engine to pe	rform	rform tests for each cylinder.			
(p)		1.		2.	- 4	
		3.		4.		
<i>,</i> .		RE	ASON:			
(q)	Compare the readings.				2	
			TOTAL – Dry compres	ssion test – Procedure	38	

WET	COMPRESSION TES	Т		
1.2.2	Conduct a wet comp	pression test on the cylinder with the lowest reading.		
		PROCEDURE	MARK	TOTAL
(a)	Squirt oil into cylinde	er onto the piston.	1	
(b)	Connect compression	on tester.	1	
(c)	Open the throttle val	Open the throttle valve fully.		
(d)	Crank the engine 4 t	Crank the engine 4 to 10 times.		
(e)	Record the reading.		1	
(6)	Conclusions after the wet	CONCLUSION:		
(f)			2	
	compression test.			
(g)	Fit spark plugs (initia	ally turn plugs in by hand).	4	
(h)	Reconnect electrical	Reconnect electrical connections and HT leads.		
(i)	Reconnect fuel supp	bly.	1	
		TOTAL – Wet compression test – Procedure	14	

TOTAL – Dry compression test – Procedure	38	
TOTAL – Wet compression test – Procedure	14	
TOTAL – Compression tests	52	

TASK 1: CYLINDER LEAKAGE TEST

WORKSHEET 1.3 – PROCEDURE

CYLIN	IDER LEAKAGE TEST					
1.3	1.3 Perform a cylinder leakage test on one cylinder.					
	Р	ROCEDURE	MARK	TOTAL		
1.3.1	Turn engine clockwise at the crankshaft pulley.					
1.3.2	Turn engine until piston is at TDC on compression stroke.	REASON:	2			
1.3.3	Lock the crankshaft.	REASON	2			
1.3.4	Screw the spark plug hose	e adapter into the spark plug hole.	1			
1.3.5	Connect the leakage teste	er to the compressor.	1			
1.3.6	Calibrate the leakage tester.	REASON:	2			
1.3.7	Connect leakage tester to spark plug hole adapter.		1			
1.3.8	Read the percentage leakage.	CONCLUSION:	2			
1.3.9	Check for cause(s) of leakage(s) (irrespective of the engine condition).	FOUR CAUSES AND REASONS:	8			
	T	OTAL – Cylinder leakage test – Procedure	20			

CYLINDER COMPRESSION AND LEAKAGE TESTS MARKS SUMMARY	MARK	TOTAL
TOTAL – Cylinder compression and leakage tests – Questions	28	
TOTAL – Cylinder compression test – Procedure	52	
TOTAL – Cylinder leakage test – Procedure	20	
GRAND TOTAL	100	

SIGNATURE OF CANDIDATE:		DATE:	
-------------------------	--	-------	--

TASK 2: GAS ANALYSING

WORKSHEET 2.1 – QUESTIONS

	QUESTIONS	MARK
2.1.1	What is the purpose of using a gas analyser on an internal combustion engine?	2
2.1.2	State TWO faults that would prompt you to analyse the exhaust gases of an internal combustion engine.	2
2.1.3	Name FIVE gases that can be analysed by the exhaust gas analyser.	5
		-
		-
2.1.4	State FOUR safety precautions that must be adhered to when conducting the exhaust gas analysis.	4
		-
2.1.5	State FOUR causes of improper and/or incomplete combustion.	4
		-
2.1.6	What is the ideal air-fuel ratio for a spark ignition engine?	1
	TOTAL – Gas analysing – Questions 18	

TASK 2: GAS ANALYSING

WORKSHEET 2.2 – PROCEDURE

EXHA	UST GAS ANALYSIS			
	Conduct an exhaust gas sequence.	analysis on an internal combustion engine follow	wing the co	orrect
		PROCEDURE	MARK	TOTAL
2.2.1	Obtain the following ma engine to be tested:	anufacturers' exhaust gas specifications of the		
	 Oxygen (O₂) 	3		
	Carbon monoxide (C	0)		
	• Carbon dioxide (CO	2)		
2.2.2		REASON:		
2.2.2	Ensure proper ventilation during the		2	
	test.			
0.0.0	Dais a the second start to	REASON:		
2.2.3	Bring the engine to operating temperature.		2	
2.2.4	Ensure filters on analys	ser are clean.	1	
		THREE REASONS:		
2.2.5	Check for any exhaust gas leaks.			
2.2.0			3	
			-	
		REASON:		
2.2.6	Check for any		2	
	vacuum leaks.			
2.2.7	Switch on the	REASON:		
	analyser (connect		2	
	cables to battery terminals or use			
	switch).			
		REASON:		
2.2.8	Calibrate the gas analyser.		2	
	-			
2.2.9	Ensure that the inlet h	nose is not restricted.	1	
2.2.10) Insert probe into exha	ust pipe.	1	

2.2.11 Take the readings of the exhaust gases. (Choose any TWO of the following three gases – CO, O ₂ or CO ₂)				
(a) CO% result obtained		1		
	CONCLUSION:			
Compare CO% reading with specifications.		4		
(b) O ₂ % result obtained		1		
	CONCLUSION:			
Compare O ₂ reading with specifications.		4		
(c) CO ₂ % result obtained		1		
	CONCLUSION:			
Compare CO ₂ reading with specifications.		4		
2.2.12 Disconnect the analyser.		1		
2.2.13 Remove the probe from the exhaust pipe.		1		
2.2.14 Remove condensate from pipes.		1		
	TOTAL – Gas analysing – Procedure	32		

TOTAL – Gas analysing – Questions	18	
TOTAL – Gas analysing – Procedure	32	
GRAND TOTAL	50	

SIGNATURE OF CANDIDATE:		DATE:	
-------------------------	--	-------	--

TASK 3: WHEEL BALANCING

WORKSHEET 3.1 – QUESTIONS

	QUESTIONS	MARK
3.1.1.	State FOUR advantages of having the motor vehicle's wheels balanced.	4
3.1.2.	Why is it necessary for the wheel balancing machine to be correctly calibrated?	1
3.1.3.	State THREE functions of the wheel-weight hammer.	3
3.1.4.	Define static balance of a wheel and tyre assembly.	2
3.1.5.	Define <i>dynamic balance</i> of a wheel and tyre assembly.	2

	A	В	С	
3.1.6 FIGURE 3.1.6 shows different tyre conditions. State the cause of each condition (A–C).	A – B –	FIGURE 3.1.6		3
	C –			
3.1.7 State FOUR safety measur wheel balancing.	es that should be o	bserved when perfo	orming	4
				-
				-
	TOTA: 11"			
	IOIAL – Whee	l balancing – Que	stions 19	

TASK 3: WHEEL BALANCING

WORKSHEET 3.2 – PROCEDURE

WHEEL BAL	ANCING			
3.2 Balanc	e a wheel and tyre asse	mbly using the correct procedure.		
	PROC	EDURE	MARK	TOTAL
3.2.1. Choo	ose the correct rim adapt	er for the rim size to mount the wheel	1	
3.2.2. Fit w	heel to the wheel balanc	1		
3.2.3. Chec	k the tyre for uneven we	ear.	1	
3.2.4. Chec	k the tyre for bruises, cr	acks and damaged side walls.	1	
3.2.5. Chec	k tyre wear level at the t	yre wear indicators (TWI).	1	
3.2.6. Rem	ove foreign matter from t	the rim and tyre.	1	
3.2.7. Chec	k the wheel rim for any o	1		
3.2.8. Obta	in the wheel rim diamete	1		
3.2.9. Enter	r wheel rim diameter into	1		
3.2.10. Obta	10. Obtain tyre pressure specification.			
3.2.11. Chec	2.11. Check tyre pressure.			
3.2.12. Use t	12. Use the calliper to determine the rim width.			
3.2.13. Enter	r wheel rim width into the	e wheel balancer	1	
3.2.14. Use t	the off-set arm to measu	re the distance to the wheel	1	
3.2.15. Enter	r off-set measurement in	to the wheel balancer	1	
3.2.16. Close	e safety cover.		1	
3.2.17. Start	the wheel balancer and	allow wheel to spin	1	
3.2.18 Obta	in the imbalance	REASON:		
readi	ngs on the outer and			
inner	part of the rim.			
Inner reading:			- 3	
Outer reading	:		1	
			1	

3.2.19.	Remove wheel weights.	1	
3.2.20.	Close safety cover.	1	
3.2.21.	Start the balancer to determine the imbalance readings.	1	
3.2.22.	Obtain the magnitudes and locations of the imbalance readings on the rim.		
	Inner reading:	2	
	Outer reading:		
3.2.23.	Choose the appropriate weights.	2	
3.2.24.	Fit the weights correctly onto the rim.	2	
3.2.25.	Re-check balancing.	1	
3.2.26.	Remove wheel if balanced.	1	
	TOTAL – Wheel Balancing – Procedure	31	

TOTAL – Wheel balancing – Question	19	
TOTAL – Wheel balancing – Procedure	31	
GRAND TOTAL	50	

SIGNATURE OF CANDIDATE:		DATE:	
-------------------------	--	-------	--

TASK 4: CHARGING SYSTEM

WORKSHEET 4 – PROCEDURE

4. Perform the following tasks regarding the ch	arging system.			
CHARGING SYSTEM (ALTERNATOR)		MARK	TOTAL	
4.1 Identify any SEVEN components (A–I) of	the alternator in FIGURE 4.1	7		
		H		
	SURE 4.1		1	
A -	F -			
В -	G -			
С- Н-				
D -	I -			
E -				
4.2 Test the charging system on a vehicle.				
PROCEDURE		MARK	TOTAL	
4.2.1 Select DC voltage on the multimeter.		1		
4.2.2 Obtain the manufacturer's specifications for the vehicle's charging system	Voltage at idlingVoltage with load	2		
4.2.3 Check for loose electrical connections	 Terminals or frayed wires 	1		
4.2.4 Check the alternator belt	TensionCondition	2		
4.2.5 Use multimeter to measure the battery voltage of vehicle at idling.	 At least 13,8 volts – good 	2		
4.2.6 Measure battery voltage with load.	 Switch on accessories including lights, HVAC, etc. 	2		
4.2.7 Report on voltage drop at idling speed, with and without load.	 Acceptable if drop is 5 V and below. 	2		
TOTAL –	Charging System – Procedure	19		

4.3	Test the following components	s of a dismantled alternator.	-	
	PR	OCEDURE	MARK	TOTAL
4.3.1	Select continuity (buzzer) on	the multimeter	1	
Chee	ck the six diodes on rectifier	r.		
4.3.2	Connect the multimeter to be	oth sides of the diodes.	6	
4.3.3	1.3.3 Report on condition of diodes.		6	
Chee	ck stator for continuity.		•	
٠	Connect the multimeter to a ends respectively.	different pair of each of the three winding	3	
		REPORT:		
4.3.4	Report on continuity of stator windings		3	
Cho	ck stator for earth leakage.			
4.3.5	0	e stator framework and the other end to		
1.0.0	any of the three windings en		1	
100		REPORT:		
4.3.6 Report on earth leakage of stator windings.		1		
Cheo	ck rotor for continuity.			
4.3.7	Connect multimeter to both s	slip rings.	1	
		REPORT:		
4.3.8	Report on continuity of		1	
	rotor windings.			
4.3.9	Check if slip rings are conne	cted properly to rotor windings.	2	
4.3.10	Check slip rings for wear.		1	
Chee	ck rotor for earth leakage.			1
4.3.11	Connect multimeter to rotor	winding and rotor framework (poles).	1	
		REPORT:		
4.3.12	Report on earth leakage of rotor windings.		1	
			1	
4.3.13	End bracket/Cover for wear.		1	
4.3.14	Check front bearing and real	r bearing.	2	
	1	OTAL – Alternator testing – Procedure	31	1

	TOTAL – Charging system –	Procedure	19	
	TOTAL – Alternator testing –	Procedure	31	
	GRAND TOTAL		50	
SIGNATURE OF CANDIDATE:	OF CANDIDATE: DATE:			

TASK 5: FUEL PRESSURE TEST

WORKSHEET 5.1 – QUESTIONS

	QUES	TIONS	МА	RK
5.1.1	State the function of the fuel pressur	e tester.	:	2
5.1.2	Name TWO methods by which fuel p engine.	oumps are driven on an internal combu	istion	2
5.1.3	State the function of a fuel filter.			1
5.1.4	State TWO functions of a check valv	e in the fuel system.		2
5.1.5	State THREE possible faults and the	eir corrective measures for low fuel pre	ssure.	6
	FAULT	CORRECTIVE MEASURE		
	TOTAL	– Fuel pressure test – Questions	13	

TASK 5: FUEL PRESSURE TEST

WORKSHEET 5.2 – PROCEDURE

	PI	ROCEDI	JRE				MARK	TOTAL
5.2.1	Obtain the fuel pressure After the injector pum 	•					-	
	When the engine is idling						- 3	
	5	At high revolutions						
5.2.2	Work in a well-ventilated	aroa					1	
5.2.3	Ensure there is fire extin		oorby				1	
5.2.4	Obtain the correct adapted	-		with th	o ho	<u>so sizo</u>	1	
5.2.4	-						-	
	Ensure that the tester ca		-			•	1	
5.2.6	Ensure that the rubber here that the tester's p				•		1	
5.2.8	Fit fuel pressure tester to fuel line between the pump and engine.	 Release the pressure safely. Insert the T-piece in the fuel line Secure the T-piece in the fuel line OR Locate the Schrader type valve on the fuel rail. Connect tester to the Schrader type valve on the fuel rail. 				3		
5.2.9	Switch ignition on until m	aximum	fuel pre	essure is	s rea	ched.	1	
5.2.10	Switch ignition off after the	ne full pre	essure i	s reach	ed.		1	
5.2.11	Check fuel pressure on gauge	REP	ORT:				- 3	
5.2.12	Release pressure and co	onnect to	fuel ho	se on e	ngin	e side as well.	2	
5.2.13	Switching ignition on and the full pressure is reach		after	• Che	eck fo	or leaks	2	
5.2.14	Check fuel pressure on gauge.	• If pressure drops, then there is a leak in the engine.			2			
5.2.15	Check regulator vacuum wetness.				2			
5.2.16	Check for leaking injecto	rs.	1. 3.			2. 4.	- 4	
		ΤΟΤΔΙ	– Fuel	pressu	ire te	est – Procedure	29	

5.3 Check the fuel delivery rate. MARK TOTAL PROCEDURE 1 5.3.1 Obtain the delivery rate (fuel flow rate) specifications. 5.3.2 Release fuel pressure from fuel system. 2 1 5.3.3 Disconnect fuel hose. 5.3.4 Insert fuel hose into measuring beaker. 1 5.3.5 Switch ignition on. 1 2 5.3.6 Measure the fuel delivery volume after ONE minute. 8 **TOTAL – Fuel delivery rate – Procedure**

TOTAL – Fuel pressure test – Questions	13	
TOTAL – Fuel pressure test – Procedure	29	
TOTAL – Fuel delivery rate – Procedure	8	
GRAND TOTAL	50	

SIGNATURE OF CANDIDATE:	DATE:	

TASK 6: ENGINE COMPONENTS MEASUREMENTS AND CALCULATIONS

WORKSHEET 6.1 – QUESTIONS

	QUESTIONS	MARK
6.1.1.	Explain what is meant by swept volume.	2
6.1.2.	Define <i>clearance volume</i> .	2
6.1.3.	What do you understand by the term <i>compression ratio</i> ?	2
6.1.4.	Describe THREE methods to raise the compression ratio in an engine.	3
		_
6.1.5.	Describe THREE methods to lower the compression ratio in an engine.	3

6.1.6.					
	Stroke length	= 80 mm		6	
	Bore diameter	= 70 mm		0	
	Clearance volume	$= 35 \text{ cm}^3$			
TOT		ts measurement and calculations –Questions	18		

TASK 6: ENGINE COMPONENTS MEASUREMENT – PROCEDURE

WORKSHEET 6.2 - ENGINE COMPONENTS MEASUREMENT

CANDIDATE'S NAME AND SURNAME:

ENGINE COMPONENTS MEASUREMENT

6.2 Measure the cylinder bore and crankshaft journal of an internal combustion engine. Answer the questions that follow.					
PROCEDURE					

FIGURE 6.2: ENGINE BLOCK, CRANKSHAFT AND CONROD ASSEMBLY

6.2.1. Obtain specifications for the following.						
COMPONENT	SPECIFICATION	MARK	TOTAL			
Big-end journal		1				
Main journal		1				
Cylinder bore diameter		1				
Stroke length		1				
Big-end bearing clearance		1				
Mains bearing clearance		1				
	TOTAL – Engine specifications	6				

6.2.2. Measure the main journal. \mathbf{A}_1 A₂ ∃B₁ B₂ B₂ B₁ A₁ A₂ **FIGURE 6.2.2: MAIN JOURNAL** DIMENSION MEASUREMENT MARK TOTAL A_1 2 A_2 2 B_1 2 2 B_2 6.2.3. Calculate the ovality. $A_1 - B_1 =$ 1 $A_2 - B_2 =$ 1 6.2.4. Calculate the taper. $A_1 - A_2 =$ 1 $B_1 - B_2 =$ 1 **TOTAL - Engine main journal measurement and calculations** 12

-				
6.2.5.	Measure	the cylinder bore.		
		B_{1} B_{1} B_{1} B_{1} B_{1} B_{1}		
		FIGURE 6.2.5: CYLINDER BORE		
DIME	NSION	MEASUREMENT	MARK	TOTAL
	A ₁		2	
	A ₂		2	
	B ₁		2	
	B ₂		2	
Stroke	e length		2	
6.2.6.	Calculate	e the ovality:		
	$A_1 - B_1 =$		1	
	$A_2 - B_2 =$		1	
6.2.7.	Calculate	e the <i>taper</i> .		
	$A_1 - A_2 =$		1	
	$B_1 - B_2 =$		1	
	Т	OTAL - Engine cylinder measurement and calculations	14	

TOTAL – Engine components measurement and calculations – Questions	18	
TOTAL - Engine specifications	6	
TOTAL – Engine main journal measurement and calculations	12	
TOTAL – Engine cylinder measurement and calculations	14	
GRAND TOTAL	50	

SIGNATURE OF CANDIDATE:		DATE:	
-------------------------	--	-------	--

TASK 7: COMPUTERISED DIAGNOSTIC SCANNER

WORKSHEET 7.1 - QUESTIONS

		QUESTIONS	MARK
7.1.1.	What	do the following abbreviations stand for?	
	(a)	OBD	1
	(b)	ECU	1
	(c)	TCU	1
	(d)	MAF	1
	(e)	TPS	1
7.1.2.	Interp	pret the following fault code P0171:	
	(a)	Ρ	1
	(b)	0	1
	(c)	1	1
	(d)	71	1
7.1.3.	State	TWO manufacturer's specifications required to set up an OBD scanner.	2
			-

7.1.4.	State the FOUR basic functions of an OBD scanner.		4
7.1.5.	Name FIVE systems that the OBD scanner can detect.		5
	TOTAL – Computerised diagnostic scanner – Questions	20	

TASK 7: COMPUTERISED DIAGNOSTIC SCANNER

WORKSHEET 7.2 – PROCEDURE

COMPL	JTERISED DIAGNOST	C SCANNER			
7.2	Conduct a computerised diagnostic test on a vehicle using the OBD-II scanner.				
		PROCEDURE		MARK	TOTAL
7.2.1.	Check for any of the SIX obvious problems listed:			6	
7.2.2.	Obtain the VIN of the	ehicle.		1	
7.2.3.	Obtain make and mod	el of the vehicle.		1	
7.2.4.	Locate the car's OBD	l port.		1	
7.2.5.	Gain access to the ca	s OBD-II port.		1	
7.2.6.	Plug the diagnostic to	l into the OBD-II port.		2	
7.2.7.	Access the diagnostic scanner.		2		
7.2.8.	Enter the vehicle's details into the scanner.		2		
7.2.9.	Turn on the vehicle's ignition.		2		
7.2.10.	D. Select the system to be scanned.			2	
7.2.11.	2.11. Perform a diagnostic scan.			2	
7.2.12.	7.2.12. Record any diagnostic trouble codes.			2	
7.2.13.	Clear the trouble code	s and restart the diagnostic scan.		2	
7.2.14.	Read trouble code(s).			1	
7.2.15.	Interpret the trouble c	des.		1	
7.2.16.	Make a diagnosis.			2	
	TOTAL – Co	nputerised diagnostic scanner –	Procedure	30	
	TOTAL – Co	nputerised diagnostic scanner -	Questions	20	
	TOTAL – Co	nputerised diagnostic scanner –	Procedure	30	
		GRA	ND TOTAL	50	
SIGNA	TURE OF CANDIDATE		DATE:		

5. SUMMARY MARK SHEET – TOTALS

MECHANICAL TECHNOLOGY											
				AUTO	NOTIVE						
			MARI	K SHEE	ET – TC	TALS					
GRADE	GRADE 12			DA	TE						
			•	1		CANDI	DATES			1	
FACETS	MARKS										
		1	2	3	4	5	6	7	8	9	10
TASK_	50										
TASK_	50										
TASK_	50										
TASK 1 COMPULSORY	100										
TOTAL:	250										
TOTAL PAT MARK:	100										
NAME AND SIGNA TEACHER NAME AND SIGNA DEPARTMENTAL H NAME AND SIGNA PRINCIPAL	TURE (IEAD	DF									
NAME AND SIGNATURE OF SUBJECT MODERATOR											

DBE/PAT 2023

ANNEXURE A – SPECIFICATIONS SHEET 6.

ENGINE:	
Туре	
Bore and stroke	
Idling speed	
Maximum power	
Maximum torque	
Compression ratio	
Oil pressure	
Firing order	
Radiator cap pressure	
Thermostat opening pressure	

TRANSMISSIO	N:
Clutch type and diameter	
Gearbox	
Rear axle type	
Final drive type and ratio	
Speed in top gear per 1 000 r/min	

CAPACITIES	
Sump without oil filter	
Gearbox	
Final drive	
Cooling system	
Fuel tank	

FUEL:	
Fuel system	
Aspiration	
Consumption	
CO emissions	
CO ₂ emissions	
O ₂ emissions	
Fuel type	

PISTONS AND RINGS:	
Piston clearance in bore	
Over sizes	
No of rings	
Groove clearance	
Ring gap in bore	

VALVES:	
Working clearance	
Inlet	
Exhaust	
Timing	
In opens	
In closes	
Timing	
Exhaust opens	
Exhaust closes	
Spring free length	
Spring rate	
Seat angle	
Valve lift	
Cam height	

IGNITION AND ELECTRICAL:		
Distributor type		
Stroboscopic setting		
Position of timing marks		
Spark plugs		
Spark plugs gap		
Battery		
Alternator		
Charging rate		
Regulator type		

CRANKSHAFT:		
5 main bearings		
Under sizes		
Clearance		
Big end		
Under sizes		
Clearance		
Small end bushes		

TORQUE SET	TINGS:
Flywheel	
Cylinder head	
Big ends	
Main bearings	
OHC bearing caps	

CRANKSHA	FT:
ain bearings	
ler sizes	
arance	
end	
lor sizos	

DBE/PAT 2023

41 NSC

7. CONCLUSION

On completion of the practical assessment task (PAT), candidates should be able to demonstrate their understanding of the industry, enhance their knowledge, skills, values and reasoning abilities as well as establish connections to life outside the classroom and address real-world challenges. The PAT furthermore develops candidate's life skills and provides opportunities for candidates to engage in their own learning.