

You have Downloaded, yet Another Great Resource to assist you with your Studies ③

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexampapers.co.za







# basic education

Department: Basic Education **REPUBLIC OF SOUTH AFRICA** 



**GRADE 12** 



**MARKS: 150** 

These marking guidelines consist of 11 pages.

Please turn over

# PRINCIPLES RELATED TO MARKING LIFE SCIENCES

- 1. If more information than marks allocated is given Stop marking when maximum marks is reached and put a wavy line and 'max' in the right-hand margin.
- 2. **If, for example, three reasons are required and five are given** Mark the first three irrespective of whether all or some are correct/incorrect.
- 3. **If whole process is given when only a part of it is required** Read all and credit the relevant part.
- 4. **If comparisons are asked for, but descriptions are given** Accept if the differences/similarities are clear.
- 5. **If tabulation is required, but paragraphs are given** Candidates will lose marks for not tabulating.
- 6. **If diagrams are given with annotations when descriptions are required** Candidates will lose marks.
- 7. **If flow charts are given instead of descriptions** Candidates will lose marks.
- 8. If sequence is muddled and links do not make sense Where sequence and links are correct, credit. Where sequence and links are incorrect, do not credit. If sequence and links become correct again, resume credit.

#### 9. Non-recognised abbreviations

Accept if first defined in answer. If not defined, do not credit the unrecognised abbreviation, but credit the rest of the answer if correct.

#### 10. Wrong numbering

If answer fits into the correct sequence of questions, but the wrong number is given, it is acceptable.

11. **If language used changes the intended meaning** Do not accept.

#### 12. Spelling errors

If recognisable, accept the answer, provided it does not mean something else in Life Sciences or if it is out of context.

- 13. **If common names are given in terminology** Accept, provided it was accepted at the national memo discussion meeting.
- 14. If only the letter is asked for, but only the name is given (and vice versa) Do not credit.

#### 15. If units are not given in measurements

Candidates will lose marks. Marking guidelines will allocate marks for units separately.

16. Be sensitive to the sense of an answer, which may be stated in a different way.

#### 17. Caption

All illustrations (diagrams, graphs, tables, etc.) must have a caption.

#### 18. Code-switching of official languages (terms and concepts)

A single word or two that appear(s) in any official language other than the learner's assessment language used to the greatest extent in his/her answers should be credited, if it is correct. A marker that is proficient in the relevant official language should be consulted. This is applicable to all official languages.

#### 19. Changes to the marking guidelines

No changes must be made to the marking guidelines. The provincial internal moderator must be consulted, who in turn will consult with the national internal moderator (and the Umalusi moderators where necessary).

#### 20. Official marking guidelines

Only marking guidelines bearing the signatures of the national internal moderator and the Umalusi moderators and distributed by the National Department of Basic Education via the provinces must be used.

# SECTION A

# **QUESTION 1**

1.1	1.1.1	B√√ P.//		
	1.1.Z 1.1.3	$\nabla \wedge \wedge$		
	1.1.3	$C \checkmark \checkmark$		
	1.1.5	C√√		
	1.1.6	Â√√		
	1.1.7	B√√		
	1.1.8	D√√		
	1.1.9	B√√	(9 x 2)	(18)
1.2	1.2.1	(Biological) evolution√		
	1.2.2	Hydrogen√bonds		
	1.2.3	Centromere√		
	1.2.4	Cytokinesis√		
	1.2.5	Crossing over√		
	1.2.6	Centrosomes √/Centrioles		
	1.2.7	Homologous		
	1.2.8	Interphase /		
	1.2.9	Ribosome√	(9 x 1)	(9)
1.3	1.3.1	B only√√		
	1.3.2	A only√√		
	1.3.3	B only√√	(3 x 2)	(6)
1.4	1.4.1	3√/Three		(1)
	1.4.2	(a) H√		(1)
		(b) Rr√		(1)
		(c) C√and F√		(2) <b>(5)</b>

1.5	1.5.1	5√/Five	(1)
	1.5.2	Gonosomes√/Sex chromosomes	(1)
	1.5.3	(a) Down syndrome√/Trisomy 21	(1)
		(b) Non-disjunction√	(1)
	1.5.4	Male√	(1) <b>(5)</b>
1.6	1.6.1	Dihybrid√cross	(1)
	1.6.2	(a) Brown $\checkmark$ fur and long ears $\checkmark$	(2)
		(b) bbee√√	(2)
		(c) Be√ be√	(2) <b>(7)</b>

TOTAL SECTION A: 50

(1)

(1)

(1)

(5) (8)

(1)

(1)

# SECTION B

### **QUESTION 2**

- 2.1 2.1.1 Nucleus √/nucleoplasm
  - 2.1.2 (a) Deoxyribose√
    - (b) Uracil√/U

#### 2.1.3

Transcription	DNA replication
Only one strand acts as a	Both strands act as
template~	templates√
(Free) RNA nucleotides ✓ are	(Free) DNA nucleotides  ✓ are
complementary	complementary
Adenine complements	Adenine pairs with thymine $\checkmark$ /
uracil√/(A complements U)	(A pairs with T)
A mRNA molecule is formed√	Two identical DNA molecules
	are formed√
Only a short section of DNA✓	The whole DNA molecule ✓ is
is used	used
DNA unwinds and unzips	DNA unwinds and unzips
partially√	completely <b>√</b>
(Mark first TWO only)	1 mark for table + (Any 2 x 2)

# 2.2 2.2.1 Gene√ mutation

- 2.2.2 There is a change in the sequence (of nitrogenous bases) from CCG to CUG ✓ (1)
- 2.2.3 (a) 5√/Five
  - (b) UAU√ (1)
    (c) The codon CCG changed to CUG√/ 4<sup>th</sup> codon has changed
     The anticodon/tRNA sequence changed√
    - The amino acid proline
    - was replaced by leucine√
    - This resulted in a different protein √/no protein being formed
       Any (4)

(8)

2.3	2.3.1	(a) 20√	(1)
		(b) 50√	(1)
	2.3.2	<ul> <li>A sperm cell is a gamete√</li> <li>formed by meiosis√</li> <li>and must be haploid√</li> <li>to overcome the doubling effect of fertilisation√</li> </ul>	(4)
	2.3.3	- Anaphase I√	(1)
	2.3.4	<ul> <li>Spindle fibres shorten√/contract</li> <li>Chromosome pairs separate√ and</li> <li>move to the opposite poles√</li> </ul>	(3) <b>(10)</b>
2.4	2.4.1	954 000√	(1)
	2.4.2	1 800 000√ – (954 000 + 180 000 + 54 000)√ = 612 000√people	
		OR 1 800 000✓ - 1 188 000✓ = 612 000✓ people OR	
		$\frac{34}{100}$ ✓ x 1 800 000 ✓ = 612 000 ✓ people	(3)
	2.4.3	<ul> <li>The allele for blood group A/ I<sup>A</sup> is inherited from one parent ✓ and</li> <li>the allele for blood group B/ I<sup>B</sup> is inherited from the other parent ✓ therefore</li> <li>the child has blood group AB ✓/genotype I<sup>A</sup>I<sup>B</sup></li> </ul>	(3) <b>(7)</b>
2.5	2.5.1	Heila√ and Leo√ (Mark first TWO only)	(2)
	2.5.2	<ul> <li>All of the (DNA) bands from Heila and Leo√</li> <li>match with the (DNA) bands of the mother and the father√</li> <li>OR</li> <li>None of the (DNA) bands from Priya√</li> </ul>	
		- match with the (DNA) bands of the mother and the father	(2)

Life Scie	ences/P2		NSC – Marki	8 ng Guidelines	DBE/November 2022	
	2.5.3	<ul> <li>Tracing r</li> <li>Identifica</li> <li>Identifica</li> <li>Matching</li> <li>Identifyin</li> <li>(Mark first 1)</li> </ul>	nissing perso tion of geneti- tion of suspec tissues for o g dead perso <b>FHREE only)</b>	ns√ c disorders√ cts in a crime√ rgan transplants√ ns√	Ány	(3) <b>(7)</b>
2.6	2.6.1	<ul> <li>Males hadoes not</li> <li>have to i</li> <li>whereas</li> <li>inherit tw</li> </ul>	ave only one have this alle nherit only on females have o recessive a	K chromosome√/ ele and e recessive allele e two X chromoso Illeles to have whi	The Y-chromosome √ to have white teeth mes√ and have to ite teeth√	(4)
	2.6.2	<b>P</b> <sub>1</sub>	Phenotype	Male with brown teeth	<ul> <li>Female with</li> <li>X white teeth√</li> </ul>	
		Meiosis	Genotype	X <sup>B</sup> Y	x X <sup>b</sup> X <sup>b</sup> ✓	
		melecie	<b>G</b> /gametes	X <sup>B</sup> , Y	x X <sup>b</sup> , X <sup>b</sup> √	
		Fertilisation				
		<b>F</b> ₁	Genotype	$X^{B}X^{b}$ , $X^{B}X^{b}$	X <sup>b</sup> , X <sup>b</sup> Y, X <sup>b</sup> Y✓	
			Phenotype	1 female with br white teeth√*	own teeth: 1 male with	
		$P_1$ and $F_1 \checkmark$ Meiosis and	fertilisation√			
				*1 com	pulsory mark + Any 5	
		P <sub>1</sub>	Phenotype	OR Male with brown teeth	<ul> <li>Female with</li> <li>x white teeth√</li> </ul>	
			Genotype	X <sup>B</sup> Y	x X <sup>b</sup> X <sup>b</sup> ✓	
		Meiosis		Gametes	X <sup>B</sup> Y	]
		Fertilisation		$X^{b}$ $X^{b}$	$\begin{pmatrix} B X^{b} \\ K^{B} X^{b} \\ \end{pmatrix} X^{b} Y$	
				1 mark for corre	ect gametes ect genotypes	
		F <sub>1</sub>	Phenotype	1 female with br	rown teeth: 1 male with	
		$P_1$ and $F_1 \checkmark$	fortilication			
		IVIEIOSIS and	ieruiisation√	*1 co	ompulsory mark + Any 5	(6) <b>(10)</b>

[50]

# **QUESTION 3**

3.1	3.1.1	<ul> <li>Embryos√</li> <li>Umbilical cord√</li> <li>Bone marrow√</li> <li>(Mark first THREE only)</li> </ul>	(3)
	3.1.2	<ul> <li>Stem cells are undifferentiated√</li> <li>and have the potential to develop into any type of cell√</li> <li>to replace affected/defective cells√ causing a disorder Any</li> </ul>	(2)
	3.1.3	<ul> <li>Heart disease√</li> <li>Spinal injuries√ Any</li> <li>(Mark first ONE only)</li> </ul>	(1) <b>(6)</b>
3.2	3.2.1	<ul> <li>A group of organisms of the same species √</li> <li>occupying the same habitat √</li> <li>at the same time √</li> </ul>	(3)
	3.2.2	They produce infertile offspring√ (Mark first ONE only)	(1)
	3.2.3	<ul> <li>Breeding at different times of the year√</li> <li>Species-specific courtship behaviour√</li> <li>Adaptation to different pollinators√</li> <li>Prevention of fertilisation√ Any</li> <li>(Mark first THREE only)</li> </ul>	(3) (7)
3.3	3.3.1	<ul> <li>To show a possible common ancestor√</li> <li>To identify trends in evolution√ Any</li> </ul>	(1)
	3.3.2	<ul> <li>Both have opposable thumbs√</li> <li>to allow for a power grip√/precision grip/ any example thereof</li> </ul>	(2)
	3.3.3	<ul> <li>Humans have small teeth√/canines whereas African apes have large teeth√/canines</li> <li>There are no gaps√/diastema between the teeth in humans whereas African apes have gaps√/diastema between the teeth (Mark first ONE only (Any 1 x 2))</li> </ul>	(2) (5)

Life Sci	ences/P2	10 DBE/Nover NSC – Marking Guidelines	mber 2022	2
3.4	3.4.1	Phylogenetic tree√/cladogram		(1)
	3.4.2	2√/Two		(1)
	3.4.3	(a) Homo habilis√		(1)
		(b) <i>(Homo) naledi</i> ∕		(1)
	3.4.4	(Homo) sapiens√		(1)
	3.4.5	<ul> <li>Fossil√evidence</li> <li>Cultural√ evidence</li> <li>Genetic√ evidence</li> <li>(Mark first TWO only)</li> </ul>	Any	(2)
	3.4.6	<ul> <li>A large cranial capacity ✓ in Homo sapiens</li> <li>indicates a larger brain ✓</li> <li>leading to greater intelligence ✓</li> <li>OR</li> <li>A small cranial capacity ✓ in Australopithecus africanus</li> </ul>		
		<ul> <li>indicates a smaller brain√</li> <li>leading to lower intelligence√</li> </ul>		(3)
	3.4.7	<ul> <li>Fossils of Australopithecus spp. were found in Africa only√</li> <li>fossils of species X/Homo habilis were found in Africa only</li> <li>The oldest fossils of Homo erectus were found in Africa√ / younger fossils were found elsewhere</li> <li>indicating that modern humans originated in Africa and mig out of Africa√</li> </ul>	<ul> <li>and</li> <li>√</li> <li>the</li> <li>grated</li> </ul>	(4) (14)
3.5	3.5.1	Ambulocetus√		(1)
	3.5.2	It had flipper-like large feet and a tail√√ (Mark first ONE only)		(2)
	3.5.3	<ul> <li>They share characteristics √/have intermediate characteris</li> <li>of the ancestor/<i>Pakicetus</i> and the present-day species √/ Balaena</li> </ul>	tics	
		OR		
		<ul> <li>They have legs like <i>Pakicetus</i>√ and</li> <li>flippers of the present day <i>Balaena</i>√</li> </ul>		(2)
	3.5.4	<ul> <li>Ancestral species of whales all had legs√/lived on land</li> <li>As more time was spent in the water√in search of food</li> <li>the legs were used less√ and disappeared</li> <li>the acquired characteristic was passed on to the next</li> </ul>		
		generation√	Any	(3) <b>(8)</b>

3.6	3.6.1	(a) Probability of developing resistance √ to antiretroviral drugs	(1)
		(b) Number of missed treatments√	(1)
	3.6.2	Treatment must not be missed√	(1)
	3.6.3	The probability of HIV developing resistance to antiretroviral drugs increases with the increase in the number of missed treatments $\checkmark\checkmark$	
		OR	
		The more the days of missed treatment, the greater the probability of the virus developing resistance to antiretroviral drugs $\sqrt{}$	(2)
	3.6.4	<ul> <li>There is variation in the resistance ✓ of the HI virus to antiretroviral drugs</li> <li>Some viruses are resistant ✓ to the drugs and</li> <li>others are not resistant ✓</li> <li>Those that are not resistant do not survive ✓</li> <li>When treatments are missed ✓,</li> <li>the resistant viruses survive and reproduce ✓</li> <li>passing the resistance to their offspring ✓ Any</li> </ul>	(5)

(5) **(10)** 

- [50]
- TOTAL SECTION B: 100
  - **GRAND TOTAL: 150**