

SA's Leading Past Year

Exam Paper Portal



You have Downloaded, yet Another Great Resource to assist you with your Studies 😊

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexampapers.co.za





This Paper was downloaded from SAEXAMPAPERS

basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

**SENIOR CERTIFICATE EXAMINATIONS/
NATIONAL SENIOR CERTIFICATE EXAMINATIONS/
SENIORSERTIFIKAAT-EKSAMEN/
NASIONALE SENIORSERTIFIKAAT-EKSAMEN**

**PHYSICAL SCIENCES: PHYSICS (P1)
FISIESE WETENSKAPPE: FISIKA (V1)**

MAY/JUNE 2025/MEI/JUNIE 2025

MARKING GUIDELINES/NASIENRIGLYNE

MARKS/PUNTE: 150

**These marking guidelines consist of 21 pages.
Hierdie nasienriglyne bestaan uit 21 bladsye.**



SA EXAM PAPERS

**QUESTION 1/VRAAG 1**

- | | | |
|------|------|-------------|
| 1.1 | D ✓✓ | (2) |
| 1.2 | A ✓✓ | (2) |
| 1.3 | B ✓✓ | (2) |
| 1.4 | D ✓✓ | (2) |
| 1.5 | D ✓✓ | (2) |
| 1.6 | C ✓✓ | (2) |
| 1.7 | A ✓✓ | (2) |
| 1.8 | C ✓✓ | (2) |
| 1.9 | C ✓✓ | (2) |
| 1.10 | C ✓✓ | (2) |
| | | [20] |



QUESTION 2/VRAAG 2

2.1

Marking criteria/Nasienkriteria



If any of the underlined key words/phrases in the **correct context** is omitted deduct 1 mark./Indien enige van die onderstreepte sleutelwoorde/frases in die **korrekte konteks** uitgelaat is, trek 1 punt af.

A body will remain in its state of motion/at rest or moving at constant velocity unless a (non-zero) resultant/net force acts on it. ✓✓

'n Voorwerp sal in sy toestand van beweging/in rus of beweging teen konstante snelheid bly behalwe as 'n (nie-nul) resulterende/netto krag daarop inwerk.

(2)

2.2

ACCEPT/AANVAAR

	Accepted labels/Aanvaarde benoemings
N	F_N /Normal/ F_{normal} / F_{normaal} /Normaal
f	(kinetic) friction/ F_f / f_k / (kinetiese) wrywing/ F_w
F	Applied force/Toegepaste krag
w	F_g / F_w /weight/mg/245 N/gravitational force F_g / F_w /gewig/mg/245 N/gravitasiekrag
Notes/Aantekeninge - Mark is awarded for label <u>and</u> arrow/Punt word toegeken vir byskrif <u>en</u> pyltjie. - Do not penalise for length of arrows/Moenie vir die lengte van die pyltjies penaliseer nie. - If arrows do not touch the dot/Indien pyle nie die kolletjie raak nie: Max/Maks $3/4$ - Any other additional force(s)/Enige ander addisionele krag(te): Max/Maks $3/4$ - If everything correct, but no arrows/Indien alles korrek, maar geen pyltjies: Max/Maks $3/4$	

(4)

2.3

**DOWNWARDS AS POSITIVE/
AFWAARTS AS POSITIEF**

$$\begin{aligned}
 F_{\text{net}} &= ma \\
 w_{\parallel} - F - f_k &= ma \\
 mgsin\theta - F - f_k &= ma \\
 25(9,8)\sin 30^\circ - F - 40 &= 4(0) \quad \checkmark \\
 F &= 82,50 \text{ N} \quad \checkmark
 \end{aligned}$$

✓ Any one/
Enige een

**UPWARDS AS POSITIVE/
OPWAARTS AS POSITIEF**

$$\begin{aligned}
 F_{\text{net}} &= ma \\
 -w_{\parallel} + F + f_k &= ma \\
 -mgsin\theta + F + f_k &= ma \\
 -25(9,8)\sin 30^\circ + F + 40 &= 4(0) \quad \checkmark \\
 F &= 82,50 \text{ N} \quad \checkmark
 \end{aligned}$$

✓ Any one/
Enige een

(3)





2.4

$$\begin{aligned}
 &F_{\text{net}} = 0 \\
 &F_{g//} = f \\
 &F_{g//} - f = F_{\text{net}} = 0 \\
 &mgsin\theta = \mu_k mg\cos\theta \\
 &\mu_k = \frac{\sin\theta}{\cos\theta}
 \end{aligned}$$

✓ Any one/Enige een

(3)

2.5

$$\begin{aligned}
 \tan\theta &= 0,19 \\
 \theta &= 10,76^\circ \\
 f_k &= (\mu_k mg\cos\theta) \\
 &= (0,19)(25)(9,8)\cos 10,76^\circ \\
 &= 45,73 \text{ N}
 \end{aligned}$$

(3)

[16]**QUESTION 3/VRAAG 3**

3.1

Motion under the influence of gravitational force only. ✓✓

Accept weight for gravitational force.

Beweging slegs onder die invloed van gravitasiekrag.

Aanvaar swaartekrag/gewig vir gravitasiekrag.

(2 or/of 0)

OR/OF

Motion in which the only force acting is gravitational force. ✓✓

Accept weight for gravitational force.

Beweging waar die enigste krag wat inwerk, gravitasiekrag is.

Aanvaar swaartekrag/gewig vir gravitasiekrag.

(2 or/of 0)

NOTE: If projectile is defined: 0/2

LET WEL: Indien projektiel gedefinieer is: 0/2

(2)





3.2

Marking criteria / Nasienkriteria

- Correct formula for Δy . / Korrekte formule vir Δy . ✓
- Correct substitution into formula for **A-B**. / Korrekte vervanging in formule vir **A-B**. ✓
- Correct substitution into formula for **B-C** or **A-C**. / Korrekte vervanging in formule vir **B-C** of **A-C**. ✓
- Equating v_f at B and v_i at B or ratio $\frac{8}{1}$. / Gelykstelling van v_f by B en v_i by B of verhouding $\frac{8}{1}$. ✓

**UPWARDS AS POSITIVE / OPWAARTS AS POSITIEF****OPTION 1 / OPSIE 1****A-B**

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$-h = (0) + \frac{1}{2} (-9,8) (t)^2 \checkmark$$

$$h = 4,9 t^2$$

A-C

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$-9h = (0)(t+2) + \frac{1}{2} (-9,8)(t+2)^2 \checkmark$$

$$9h = (4,9)(t+2)^2$$

$$9t^2 = (t+2)^2 \checkmark$$

$$3t = (t+2)$$

$$t = 1 \text{ s}$$

OPTION 2 / OPSIE 2**A-B**

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$-h = (0)t + \frac{1}{2} (-9,8) t^2 \checkmark$$

$$-h = -4,9 t^2$$

B-C

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$-8h = v_i(2) + \frac{1}{2} (-9,8)(2)^2 \checkmark$$

$$= 2v_i - 19,6$$

$$v_i = \frac{(-8h + 19,6)}{2}$$

A-B & B-C

$$v_f = v_i + a \Delta t$$

$$v_f = 0 + (-9,8) t$$

$$v_{i(B-C)} = v_{f(A-B)} \quad \checkmark \text{ Any one / Enige een}$$

$$\frac{(-8h + 19,6)}{2} = (-9,8) t$$

$$-8(4,9 \Delta t^2) = (-19,6) \Delta t - 19,6$$

$$2t^2 - t - 1 = 0$$

$$t = 1 \text{ s}$$

OPTION 3 / OPSIE 3**A-B**

$$v_f^2 = v_i^2 + 2a \Delta y \checkmark$$

$$= (0) + 2(-9,8)(h)$$

$$v_B = -\sqrt{19,6h}$$

B-C

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$-8h = v_B(2) + \frac{1}{2} (-9,8)(2)^2$$

$$-8h = 2(-\sqrt{19,6h}) - 19,6$$

$$8h + 2\sqrt{19,6h} = 19,6$$

$$h = 4,9$$


A-B


$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$-4,9 = (0) + \frac{1}{2} (-9,8)(t)^2 \checkmark$$

$$t = 1 \text{ s}$$

✓✓ Both / Beide



**UPWARDS AS POSITIVE/OPWAARTS AS POSITIEF****OPTION 4/OPSIE 4****A-B**

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$-h = (0) + \frac{1}{2}(-9,8)(1)^2 \checkmark$$

$$-h = -4,9 \text{ m}$$

$$v_f = v_i + a \Delta t$$

$$= 0 + (-9,8)(1)$$

$$= -9,8 \text{ m} \cdot \text{s}^{-1}$$

B-C

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$-8h = v_i(2) + \frac{1}{2}(-9,8)(2)^2 \checkmark$$

$$= (-9,8)(2) - 19,6$$

$$= -39,2 \text{ m}$$

When/wanneer $t = 1 \text{ s}$,

$$\Delta y_{(B-C)} : \Delta y_{(A-B)} = 39,2 : 4,9 = 8:1 \checkmark$$

$$\text{OR/OF } \frac{39,2}{4,9} = \frac{8}{1} = \frac{8h}{h}$$

OPTION 5/OPSIE 5**A-B**

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$-h = (0) + \frac{1}{2}(-9,8)(1)^2 \checkmark$$

$$-h = -4,9 \text{ m}$$

$$v_f = v_i + a \Delta t$$

$$= 0 + (-9,8)(1)$$

$$= -9,8 \text{ m} \cdot \text{s}^{-1}$$

B-C

$$v_f = v_i + a \Delta t$$

$$= (-9,8) + (-9,8)(1) \checkmark$$

$$= -29,4 \text{ m} \cdot \text{s}^{-1}$$

$$\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t$$

$$-8h = \left(\frac{-9,8 + (-29,4)}{2} \right) (2)$$

$$= -39,2 \text{ m}$$

When/wanneer $t = 1 \text{ s}$,

$$\Delta y_{(B-C)} : \Delta y_{(A-B)} = 39,2 : 4,9 = 8:1 \checkmark$$

$$\text{OR/OF } \frac{39,2}{4,9} = \frac{8}{1} = \frac{8h}{h}$$

OPTION 6/OPSIE 6**A-B**

$$v_f = v_i + a \Delta t$$

$$= 0 + (-9,8)(1)$$

$$v_f = -9,8 \text{ m} \cdot \text{s}^{-1}$$

$$\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t \checkmark$$

$$h = \left(\frac{-9,8 + 0}{2} \right) (1) \checkmark$$

$$= -4,9 \text{ m}$$

B-C

$$v_f = v_i + a \Delta t$$

$$= (-9,8) + (-9,8)(2)$$

$$= -29,4 \text{ m} \cdot \text{s}^{-1}$$

$$h = \left(\frac{-9,8 + (-29,4)}{2} \right) (2) \checkmark$$

$$= -39,2 \text{ m}$$

When/wanneer $t = 1 \text{ s}$,

$$\Delta y_{(B-C)} : \Delta y_{(A-B)} = 39,2 : 4,9 = 8:1 \checkmark$$

$$\text{OR/OF } \frac{39,2}{4,9} = \frac{8}{1} = \frac{8h}{h}$$

OPTION 7/OPSIE 7**A-B**

$$v_f = v_i + a \Delta t$$

$$= 0 + (-9,8)(1)$$

$$v_f = -9,8 \text{ m} \cdot \text{s}^{-1}$$

$$v_f^2 = v_i^2 + 2a \Delta y \checkmark$$

$$(-9,8)^2 = (0)^2 + (2)(-9,8)(h) \checkmark$$

$$h = -4,9 \text{ m}$$

$$(\text{accept/aanvaar } h = 4,9 \text{ m})$$

B-C

$$v_f = v_i + a \Delta t$$

$$= (-9,8) + (-9,8)(2)$$

$$= -29,4 \text{ m} \cdot \text{s}^{-1}$$

$$v_f^2 = v_i^2 + 2a \Delta y$$

$$(-29,4)^2 = (-9,8)^2 + (2)(-9,8)(h) \checkmark$$

$$h = -39,2 \text{ m}$$

When/wanneer $t = 1 \text{ s}$,

$$\Delta y_{(B-C)} : \Delta y_{(A-B)} = 39,2 : 4,9 = 8:1 \checkmark$$

$$\text{OR/OF } \frac{39,2}{4,9} = \frac{8}{1} = \frac{8h}{h}$$

**DOWNWARDS AS POSITIVE/AFWAARTS AS POSITIEF****OPTION 1/OPSIE 1****A-B**

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$h = (0) + \frac{1}{2} (9,8) (t)^2 \checkmark$$

$$h = 4,9 t^2$$

A-C

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$9h = (0)(t+2) + \frac{1}{2} (9,8) (t+2)^2 \checkmark$$

$$9h = (4,9) (t+2)^2$$

$$9t^2 = (t+2)^2 \checkmark$$

$$3t = (t+2)$$

$$t = 1 \text{ s}$$

OPTION 2/OPSIE 2**A-B**

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$h = (0) t + \frac{1}{2} (9,8) t^2 \checkmark$$

$$h = 4,9 t^2$$

B-C

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$8h = v_i(2) + \frac{1}{2} (9,8) (2)^2 \checkmark$$

$$= 2v_i + 19,6$$

$$v_i = \frac{(8h - 19,6)}{2}$$

A-B & B-C

$$v_f = v_i + a \Delta t$$

$$v_f = 0 + (9,8) t$$

$$\frac{v_i(B-C) = v_f(A-B)}{(8h - 19,6)} = (9,8) t \quad \left. \begin{array}{l} \checkmark \text{ Any one /} \\ \text{Enige een} \end{array} \right\}$$

$$8(4,9t^2) = (19,6) t + 19,6$$

$$2t^2 - t - 1 = 0$$

$$t = 1 \text{ s}$$

OPTION 3/OPSIE 3**A-B**

$$v_f^2 = v_i^2 + 2a \Delta y \checkmark$$

$$= (0) + 2(9,8)(h)$$

$$v_B = \sqrt{19,6h}$$

✓✓ Both
/Beide

B-C

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$8h = v_B(2) + \frac{1}{2} (9,8) (2)^2$$

$$8h = 2(\sqrt{19,6h}) + 19,6$$

$$8h - 2\sqrt{19,6h} = 19,6$$


$$h = 4,9 \text{ m}$$


A-B

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$4,9 = (0) + \frac{1}{2} (9,8) (t)^2 \checkmark$$

$$t = 1 \text{ s}$$



**DOWNWARDS AS POSITIVE/AFWAARTS AS POSITIEF****OPTION 4/OPSIE 4****A-B**

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$h = (0) + \frac{1}{2} (9,8) (1)^2 \checkmark$$

$$h = 4,9 \text{ m}$$

$$v_f = v_i + a \Delta t$$

$$= 0 + (9,8) (1)$$

$$= 9,8 \text{ m} \cdot \text{s}^{-1}$$

B-C

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$= v_i (2) + \frac{1}{2} (9,8) (2)^2 \checkmark$$

$$= (9,8) (2) + 19,6$$

$$= 39,2 \text{ m}$$

When $t = 1 \text{ s}$,

$$\Delta y_{(B-C)} : \Delta y_{(A-B)} = 39,2 : 4,9 = 8:1 \checkmark$$

$$\text{OR/OF } \frac{39,2}{4,9} = \frac{8}{1} = \frac{8h}{h}$$

OPTION 5/OPSIE 5

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$$

$$h = (0) + \frac{1}{2} (9,8) (1)^2 \checkmark$$

$$h = 4,9 \text{ m}$$

$$v_f = v_i + a \Delta t$$

$$= 0 + (9,8) (1)$$

$$= 9,8 \text{ m} \cdot \text{s}^{-1}$$

B-C

$$v_f = v_i + a \Delta t$$

$$= (9,8) + (9,8) (1) \checkmark$$

$$= 29,4 \text{ m}$$

$$\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t$$

$$= \left(\frac{9,8 + 29,4}{2} \right) (2)$$

$$= 39,2 \text{ m}$$

When/wanneer $t = 1 \text{ s}$,

$$\Delta y_{(B-C)} : \Delta y_{(A-B)} = 39,2 : 4,9 = 8:1 \checkmark$$

$$\text{OR/OF } \frac{39,2}{4,9} = \frac{8}{1} = \frac{8h}{h}$$

OPTION 6/OPSIE 6**A-B**

$$v_f = v_i + a \Delta t$$

$$= 0 + (9,8) (1)$$

$$v_f = 9,8 \text{ m} \cdot \text{s}^{-1}$$

$$\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t \checkmark$$

$$h = \left(\frac{9,8 + 0}{2} \right) (1) \checkmark$$

$$= 4,9 \text{ m}$$

B-C

$$v_f = v_i + a \Delta t$$

$$= (9,8) + (9,8) (2)$$

$$= 29,4 \text{ m}$$

$$h = \left(\frac{9,8 + (29,4)}{2} \right) (2) \checkmark$$

$$= 39,2 \text{ m}$$

When/wanneer $t = 1 \text{ s}$,

$$\Delta y_{(B-C)} : \Delta y_{(A-B)} = 39,2 : 4,9 = 8:1 \checkmark$$

$$\text{OR/OF } \frac{39,2}{4,9} = \frac{8}{1} = \frac{8h}{h}$$

OPTION 7/OPSIE 7**A-B**

$$v_f = v_i + a \Delta t$$

$$= 0 + (9,8) (1)$$

$$v_f = 9,8 \text{ m} \cdot \text{s}^{-1}$$

$$v_f^2 = v_i^2 + 2a \Delta y \checkmark$$

$$(9,8)^2 = (0)^2 + (2) (9,8) (h) \checkmark$$

$$h = 4,9 \text{ m}$$

B-C

$$v_f = v_i + a \Delta t$$

$$= (9,8) + (9,8) (2)$$

$$= 29,4 \text{ m}$$

$$v_f^2 = v_i^2 + 2a \Delta y$$

$$(29,4)^2 = (9,8)^2 + (2) (9,8) (h)$$

$$h = 39,2 \text{ m}$$

When/wanneer $t = 1 \text{ s}$,

$$\Delta y_{(B-C)} : \Delta y_{(A-B)} = 39,2 : 4,9 = 8:1 \checkmark$$

$$\text{OR/OF } \frac{39,2}{4,9} = \frac{8}{1} = \frac{8h}{h}$$

(4)





3.3 POSITIVE MARKING FROM QUESTION 3.2

POSITIEWE NASIEN VANAF VRAAG 3.2

Marking criteria/Nasienkriteria

- Formula to calculate v_f /Formule om v_f te bereken ✓
- Substitution of/Vervanging van Δt (A-C) = 3 s
OR/OF Δt (A-B) = 1 s AND/EN Δt (B-C) = 2 s. ✓
- Correct final answer/Korrekte finale antwoord: $29,4 \text{ m} \cdot \text{s}^{-1}$ ✓

NOTE/NOTA

v_f and v_i can be swapped
 v_f en v_i kan omgeruil word

UPWARDS AS POSITIVE/ OPWAARTS AS POSITIEF**OPTION 1/OPSIE 1****A-C**

$$v_f = v_i + a\Delta t \checkmark$$

$$= 0 + (-9,8)(3) \checkmark$$

$$v_f = -29,4$$

$$v_f = 29,4 \text{ m} \cdot \text{s}^{-1} \checkmark$$

OPTION 2/OPSIE 2**A-B**

$$v_f = v_i + a\Delta t \checkmark$$

$$= 0 + (-9,8)(1) \checkmark$$

$$v_f = -9,8 \text{ m} \cdot \text{s}^{-1} \checkmark$$

B-C


$$v_f = v_i + a\Delta t$$

$$v_f = -9,8 + (-9,8)(2)$$

$$v_f = -29,4$$

$$v_f = 29,4 \text{ m} \cdot \text{s}^{-1} \checkmark$$

✓ Both /Beide

**A-C**

$$\Delta y = v_i\Delta t + \frac{1}{2}a\Delta t^2$$

$$= (0)(3) + \frac{1}{2}(-9,8)(3)^2$$

$$\Delta y = -44,1 \text{ m}$$

OPTION 3/OPSIE 3**A-C**

$$v_f^2 = v_i^2 + 2a\Delta y \checkmark$$

$$v_f^2 = (0)^2 + (2)(-9,8)(-44,1) \checkmark$$

$$v_f = 29,4 \text{ m} \cdot \text{s}^{-1} \checkmark$$

OPTION 4/OPSIE 4**A-C**

$$\Delta y = \left(\frac{v_i + v_f}{2}\right)\Delta t \checkmark$$

$$-44,1 = \left(\frac{0 + v_f}{2}\right)(3) \checkmark$$

$$v_f = -29,4$$

$$v_f = 29,4 \text{ m} \cdot \text{s}^{-1} \checkmark$$

A-B

$$v_f = v_i + a\Delta t$$

$$= 0 + (-9,8)(1)$$

$$v_f = -9,8 \text{ m} \cdot \text{s}^{-1}$$

B-C

$$\Delta y = v_i\Delta t + \frac{1}{2}a\Delta t^2$$

$$= (-9,8)(2) + \frac{1}{2}(-9,8)(2)^2$$

$$\Delta y = -39,2 \text{ m}$$

OPTION 5/OPSIE 5**B-C**

$$v_f^2 = v_i^2 + 2a\Delta y \checkmark$$

$$v_f^2 = (-9,8)^2 + (2)(-9,8)(-39,2) \checkmark$$

$$v_f = -29,4$$

$$v_f = 29,4 \text{ m} \cdot \text{s}^{-1} \checkmark$$

OPTION 6/OPSIE 6**B-C**


$$\Delta y = \left(\frac{v_i + v_f}{2}\right)\Delta t \checkmark$$

$$-39,2 = \left(\frac{-9,8 + v_f}{2}\right)(2) \checkmark$$

$$v_f = -29,4$$

$$v_f = 29,4 \text{ m} \cdot \text{s}^{-1} \checkmark$$



DOWNWARDS AS POSITIVE / AFWAARTS AS POSITIEF	
OPTION 1 / OPSIE 1 A-C $v_f = v_i + a\Delta t \checkmark$ $= 0 + (9,8)(3) \checkmark$ $v_f = 29,4 \text{ m}\cdot\text{s}^{-1} \checkmark$	
OPTION 2 / OPSIE 2 A-B $v_f = v_i + a\Delta t \checkmark$ $= 0 + (9,8)(1) \checkmark$ $v_f = 9,8 \text{ m}\cdot\text{s}^{-1} \checkmark$ B-C $v_f = v_i + a\Delta t \checkmark$ $v_f = 9,8 + (9,8)(2) \checkmark$ $v_f = 29,4 \text{ m}\cdot\text{s}^{-1} \checkmark$	
	OPTION 3 / OPSIE 3 A-C $v_f^2 = v_i^2 + 2a\Delta y \checkmark$ $v_f^2 = (0)^2 + (2)(9,8)(44,1) \checkmark$ $v_f = 29,4 \text{ m}\cdot\text{s}^{-1} \checkmark$
	OPTION 4 / OPSIE 4 A-C $\Delta y = \left(\frac{v_i + v_f}{2}\right)\Delta t \checkmark$ $44,1 = \left(\frac{0 + v_f}{2}\right)(3) \checkmark$ $v_f = 29,4 \text{ m}\cdot\text{s}^{-1} \checkmark$
	OPTION 5 / OPSIE 5 B-C $v_f^2 = v_i^2 + 2a\Delta y \checkmark$ $v_f^2 = (9,8)^2 + (2)(9,8)(39,2) \checkmark$ $v_f = 29,4 \text{ m}\cdot\text{s}^{-1} \checkmark$
	OPTION 6 / OPSIE 6 B-C $\Delta y = \left(\frac{v_i + v_f}{2}\right)\Delta t \checkmark$ $39,2 = \left(\frac{9,8 + v_f}{2}\right)(2) \checkmark$ $v_f = 29,4 \text{ m}\cdot\text{s}^{-1} \checkmark$

(3)





3.4.1

POSITIVE MARKING FROM QUESTION 3.2 and 3.3 POSITIEWE NASIEN VANAF VRAAG 3.2 en 3.3	
Note/Let wel: If $9h = 44,1$ m already calculated in 3.2 or 3.3, award 2 marks for answer./Indien $h = 44,1$ m alreeds in 3.2 of 3.3 bereken, ken 2 punte toe vir antwoord.	
UPWARDS AS POSITIVE/OPWAARTS AS POSITIEF	
OPTION 1/OPSIE 1 $h = 4,9$ $9h = 9(4,9) \checkmark$ $= 44,1 \text{ m} \checkmark$	OPTION 2/OPSIE 2 $\Delta y = 4,9 + 39,2 \checkmark$ $= 44,1 \text{ m} \checkmark$
OPTION 3/OPSIE 3 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$ $= (0)(3) + \frac{1}{2}(-9,8)(3)^2 \checkmark$ $\Delta y = -44,1$ $\Delta y = 44,1 \text{ m} \checkmark$	OPTION 4/OPSIE 4 $\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t$ $= \left(\frac{0 + -29,4}{2} \right) (3) \checkmark$ $\Delta y = -44,1 \text{ m}$ $\Delta y = 44,1 \text{ m} \checkmark$
OPTION 5/OPSIE 5 $-h = -4,9 \Delta t^2$ $h = (4,9)(1)^2$ $= 4,9$ $9h = 9(4,9) \checkmark$ $= 44,1 \text{ m} \checkmark$	OPTION 6/OPSIE 6 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$ $-h = (0) + \frac{1}{2}(-9,8)(1)^2$ $h = 4,9$ $9h = 9(4,9) \checkmark$ $= 44,1 \text{ m} \checkmark$
OPTION 7/OPSIE 7 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$ $= (0)(3) + \frac{1}{2}(-9,8)(3)^2 \checkmark$ $\Delta y = -44,1$ $\Delta y = 44,1 \text{ m} \checkmark$	OPTION 8/OPSIE 8 $v_f^2 = v_i^2 + 2a\Delta y$ $(-29,4)^2 = (0)^2 + (2)(-9,8)\Delta y \checkmark$ $\Delta y = -44,1$ $\Delta y = 44,1 \text{ m} \checkmark$
DOWNWARDS AS POSITIVE/AFWAARTS AS POSITIEF	
OPTION 1/OPSIE 1 $h = 4,9$ $9h = 9(4,9) \checkmark$ $= 44,1 \text{ m} \checkmark$	OPTION 2/OPSIE 2 $\Delta y = 4,9 + 39,2 \checkmark$ $= 44,1 \text{ m} \checkmark$
OPTION 3/OPSIE 3 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$ $= (0)(3) + \frac{1}{2}(9,8)(3)^2 \checkmark$ $\Delta y = 44,1 \text{ m} \checkmark$	OPTION 4/OPSIE 4 $\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t$ $= \left(\frac{0 + 29,4}{2} \right) (3) \checkmark$ $\Delta y = 44,1 \text{ m} \checkmark$
OPTION 5/OPSIE 5 $h = (4,9)(1)^2$ $= 4,9$ $9h = 9(4,9) \checkmark$ $= 44,1 \text{ m} \checkmark$	OPTION 6/OPSIE 6 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$ $h = (0) + \frac{1}{2}(9,8)(1)^2$ $h = 4,9$ $9h = 9(4,9) \checkmark$ $= 44,1 \text{ m} \checkmark$
OPTION 7/OPSIE 7 $\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$ $= (0)(3) + \frac{1}{2}(9,8)(3)^2 \checkmark$ $\Delta y = 44,1 \text{ m} \checkmark$	OPTION 8/OPSIE 8 $v_f^2 = v_i^2 + 2a\Delta y$ $(29,4)^2 = (0)^2 + (2)(9,8)\Delta y \checkmark$ $\Delta y = 44,1 \text{ m} \checkmark$

(2)




3.4.2 $\Delta y_{BC} = 39,2 \text{ m}$ ✓

(1)

3.5 **POSITIVE MARKING FROM QUESTIONS 3.3 and 3.4**
POSITIEWE NASIEN VANAF VRAAG 3.3 en 3.4

UPWARDS AS POSITIVE/OPWAARTS AS POSITIEF




Marking criteria:

- Initial position 44,1 m ✓
- Ball strikes the ground at 3 s ✓
- Position at 1s is 39,2 m ✓
- Shape ✓

Nasienkriteria:

- Aanvanklike posisie 44,1 m ✓
- Bal tref die grond by 3 s ✓
- Posisie na 1s is 39,2 m ✓
- Vorm ✓

DOWNWARDS AS POSITIVE/AFWAARTS AS POSITIEF



Marking criteria:

- Initial position -44,1 m ✓
- Ball strikes the ground at 3 s ✓
- Position after 1s is -39,2 m ✓
- Shape ✓

Nasienkriteria:

- Aanvanklike posisie -44,1 m ✓
- Bal tref die grond by 3 s ✓
- Posisie na 1s is -39,2 m ✓
- Vorm ✓

(4)

[16]





QUESTION 4/VRAAG 4

4.1

Marking criteria/Nasienkriteria

If any of the underlined key words/phrases in the **correct context** is omitted deduct 1 mark./Indien enige van die onderstreepte sleutelwoorde/frases in die **korrekte konteks** uitgelaat is, trek 1 punt af.

IF: closed system -1 mark

INDIEN: geslote sisteem – 1 punt

The total (linear) momentum in an isolated system is conserved/remains constant. ✓✓

Die totale (lineêre) momentum in 'n geïsoleerde sisteem bly behoue/konstant.

Accept for 1 mark/Aanvaar vir 1 punt

In a isolated system the total momentum before a collision is equal to the total momentum after a collision. ✓

In 'n geïsoleerde sisteem is die totale momentum voor 'n botsing gelyk aan die totale momentum na 'n botsing.

(2)

4.2

$\Delta x = v \Delta t$ $0,8 = v_i(2) \checkmark$ $v_i = 0,4 \text{ m} \cdot \text{s}^{-1}$	
RIGHT AS +/REGS AS +	LEFT AS +/LINKS AS +
OPTION 1/OPSIE 1 $\Sigma p_i = \Sigma p_f$ $m_1 v_{1i} + m_2 v_{2i} = m_1 v_{1f} + m_2 v_{2f}$ } ✓ Any one/ Enige een $m_1 v_{1i} + m_2 v_{2i} = (m_1 + m_2) v_f$ $(2) v_{1i} + 0 \checkmark = (2 + 1,5)(0,4) \checkmark$ $v_{1i} = 0,7 \text{ m} \cdot \text{s}^{-1} \checkmark$	$\Sigma p_i = \Sigma p_f$ $m_1 v_{1i} + m_2 v_{2i} = m_1 v_{1f} + m_2 v_{2f}$ } ✓ Any one/ Enige een $m_1 v_{1i} + m_2 v_{2i} = (m_1 + m_2) v_f$ $(2)(-v_{1i}) + 0 \checkmark = (2 + 1,5)(-0,4) \checkmark$ $v_{1i} = 0,7 \text{ m} \cdot \text{s}^{-1} \checkmark$
OPTION 2 /OPSIE 2 $\Delta p_1 = -\Delta p_2$ } ✓ Any one/ Enige een $m(v_{1f} - v_{1i}) = -m(v_{2f} - v_{2i})$ $2(0,4 - v_{1i}) \checkmark = -1,5(0,4 - 0) \checkmark$ $v_{1i} = 0,7 \text{ m} \cdot \text{s}^{-1} \checkmark$	$-\Delta p_1 = \Delta p_2$ } ✓ Any one/ Enige een $-m(v_{1f} - v_{1i}) = m(v_{2f} - v_{2i})$ $-2(0,4 - v_{1i}) \checkmark = 1,5(-0,4 - 0) \checkmark$ $v_{1i} = 0,7 \text{ m} \cdot \text{s}^{-1} \checkmark$

(5)

4.3

Inelastic / **Onelasties** ✓

(1)

4.4

INCREASES/NEEM TOE ✓

$$F_{\text{net}} \Delta t = \Delta p \text{ OR/OF } F_{\text{net}} = \frac{\Delta p}{\Delta t} \text{ OR/OF } F_{\text{net}} \Delta t = m \Delta v \checkmark$$

(2)

[10]

QUESTION 5/VRAAG 5

5.1

Marking criteria/Nasienkriteria

If any of the underlined key words/phrases in the **correct context** is omitted deduct 1 mark./Indien enige van die onderstreepte sleutelwoorde/frases in die **korrekte konteks** uitgelaat is, trek 1 punt af.

IF: The word 'work' is omitted - 0 marks.



INDIEN: Die woord 'arbeid' uitgelaat is - 0 punte.

A non-conservative force is a force for which the work done (in moving an object between two points) is dependent on the path taken. ✓✓

'n Nie-konserwatiewe krag is 'n krag waarvoor die arbeid wat verrig is (om 'n voorwerp tussen twee punte te beweeg) afhanklik is van die pad wat gevolg word.

(2)

5.2

**ACCEPT/AANVAAR**

	Accepted labels/Aanvaarde benoemings
F_{pump}	F/F _P /F _{electric pump} /F/F _P /F _{electrisie pomp}
w	F _g /F _w /weight/mg/gravitational force/F _g /F _w /gewig/mg/gravitasiekrag
Notes/Aantekeninge	
- Mark is awarded for label <u>and</u> arrow./Punt word toegeken vir byskrif <u>en</u> pyltjie. - Do not penalise for length of arrows./Moenie vir die lengte van die pyltjies penaliseer nie. - If arrows do not touch the dot/Indien pyle nie die kolletjie raak nie: Max/Maks 1/2 - Any other additional force(s)/Enige ander addisionele krag(te): Max/Maks 1/2 - If everything correct, but no arrows/Indien alles korrek, maar geen pyltjies: Max/Maks 1/2	

(2)

5.3.1

OPTION 1/OPSIE 1

$$\left. \begin{aligned} W_{nc} &= \Delta E_p + \Delta E_k \\ W_{pump} &= mg\Delta h / mgh \\ &= 200(9,8)(12,5) \\ &= 24\,500 \text{ J} \end{aligned} \right\} \begin{array}{l} \checkmark \text{ Any one/} \\ \text{Enige een} \end{array}$$

OPTION 2/OPSIE 2

$$\begin{aligned} W &= F\Delta x \cos \theta \checkmark \\ &= (1960)(12,5)(1) \checkmark \\ &= 24\,500 \text{ J} \end{aligned}$$

(3)

5.3.2

$$\begin{aligned} v &= \frac{\Delta x}{\Delta t} \\ &= \frac{12,5}{80} \checkmark \\ &= 0,16 \text{ m}\cdot\text{s}^{-1} (0,156 \text{ m}\cdot\text{s}^{-1}) \checkmark \end{aligned}$$

(3)

5.3.3

+ MARKING FROM Q 5.3.1 /
+NASIEN VANAF V 5.3.1
OPTION 1/OPSIE 1

$$\begin{aligned} P_{ave} &= \frac{W_{pump}}{\Delta t} \checkmark \\ &= \frac{24500}{80} \text{ OR } \frac{306,25}{1} \checkmark \\ &= 306,25 \text{ W} \checkmark \end{aligned}$$

+ MARKING FROM Q 5.3.2 /
+NASIEN VANAF V 5.3.2
OPTION 2/OPSIE 2

$$\begin{aligned} P_{ave} &= F_{ave}v \checkmark \\ &= (200)(9,8)(0,16) \checkmark \\ &= 313,60 \text{ W} (305,76 \text{ W}) \checkmark \end{aligned}$$

(3)

[13]

QUESTION 6/VRAAG 6

6.1

Marking criteria/Nasienkriteria

If any of the underlined key words/phrases in the **correct context** is omitted deduct 1 mark./Indien enige van die onderstreepte sleutelwoorde/frases in die **korrekte konteks** uitgelaat is, trek 1 punt af.

Doppler effect/ Doppler effek✓

The change in frequency (pitch) of the sound detected by a listener because the sound source and the listener have different velocities relative to the medium of sound propagation. ✓✓

Die verandering in frekwensie (toonhoogte) van die klank waargeneem deur 'n luisteraar omdat die klankbron en die luisteraar verskillende snelhede relatief tot die medium waarin die klank voortgeplant word, het.

OR/OF

An (apparent) change in observed/detected frequency (pitch), as a result of the relative motion between a source and an observer (listener).

'n (Skynbare) verandering in waargenome frekwensie (toonhoogte), as gevolg van die relatiewe beweging tussen die bron en 'n waarnemer (luisteraar).

(3)

6.2

$$v = f_L \lambda$$

$$340 = f_L \times 0,016 \checkmark$$

$$f_L = 21250 \text{ Hz}$$

$$f_L = \frac{v \pm v_L}{v \pm v_S} f_S \checkmark \text{ OR/OF } f_L = \frac{v}{v - v_S} f_S \text{ OR/OF } f_L = \frac{v \pm v_L}{v \pm v_B} f_S$$

$$21250 \checkmark = \left(\frac{340}{340 - v_B} \right) f_S \checkmark$$

$$f_S = 21250 - 62,5v_B$$

(4)

6.3

$$\left. \begin{aligned} f_L' &= 21250 - 62,5v_B + 850 \\ &= 22100 - 62,5v_B \end{aligned} \right\} \checkmark \text{ Any one/Enige een}$$

$$f_L' = \frac{v \pm v_L}{v \pm v_S} f_S \text{ OR/OF } f_L' = \frac{v + v_L}{v} f_S$$

$$\left[22100 - (62,5)v_B \right] = \left(\frac{340 + v_B}{340} \right) (21250) \checkmark$$

$$v_B = 6,8 \text{ m} \cdot \text{s}^{-1} \checkmark$$

NOTE/NOTA:

f_L' is the frequency detected by the bat after reflection off the cliff.


f_L' is die frekwensie waargeneem deur die vlermuis na weerkaatsing vanaf die klans

(5)

[12]

QUESTION 7/VRAAG 7

7.1



Criteria for sketch/Kriteria vir skets:	
Sphere with no field lines inside./Sfeer met geen veldlyne binne-in.	✓
Correct shape./Korrekte vorm.	✓
Correct direction away from the charge./Korrekte rigting weg van die lading.	✓
Notes/Aantekeninge:	
If electric field lines cross or touch./Indien elektriese veldlyne kruis of raak:	
Max/Maks $2/3$	

(3)

7.2.1

Marking criteria/Nasienkriteria:

If any of the underlined key words/phrases in the correct context are omitted:

- 1 mark per word/phrase.

Indien enige van die sleutelwoorde/frases in die korrekte konteks weggelaat word:

- 1 punt per word/frase.

The magnitude of the electrostatic force exerted by one point charge (Q_1) on another point charge (Q_2) is directly proportional to the product of the (magnitudes) of the charges ✓ and inversely proportional to the square of the distance (r) between them. ✓

Die grootte van die elektrostatiese krag wat een puntlading (Q_1) op 'n ander puntlading (Q_2) uitoefen, is direk eweredig aan die produk van die ladings en omgekeerd eweredig aan die kwadraat van die afstand (r) tussen hulle.

OR/OF

The magnitude of the electrostatic force exerted by one charge (Q_1) on another charge (Q_2) is directly proportional to the product of the (magnitudes) of the charges ✓ and inversely proportional to the square of the distance (r) between their centres. ✓

Die grootte van die elektrostatiese krag wat een lading (Q_1) op 'n ander lading (Q_2) uitoefen, is direk eweredig aan die produk van die ladings en omgekeerd eweredig aan die kwadraat van die afstand (r) tussen hulle middelpunte.



NOTE: If masses are mentioned instead of charges: $0/2$ **LET WEL: Indien massas in plaas van ladings genoem word: $0/2$**

(2)



7.2.2

Accept/Aanvaar



Accepted labels/Aanvaarde byskrifte	
w ✓	$F_w/F_g/mg/1,47 \times 10^{-3} \text{ N}/\text{gravitational force}/\text{gravitasiekrag}/\text{weight}/\text{gewig}$
F_E ✓	$F/\text{Electrostatic force}/\text{Coulomb force}/F_{E \text{ Field}}/F_{P \text{ on } S} / F_{E \text{ veld}}/F_{P \text{ op } S}$ <i>Elektrostatiese krag/Coulomb-krag</i>
T ✓	$F_T/F_{\text{string}}/\text{tension}/\text{spanning}/F_{\text{tou}}$
Notes/Aantekeninge:	
- Mark awarded for label and arrow./Punt toegeken vir benoeming en pyltjie. - Do not penalise for length of arrows since drawing is not to scale./Moenie vir die lengte van die pyltjies penaliseer nie aangesien die tekening nie volgens skaal is nie. - Any other additional force(s)/Enige ander addisionele krag(te): Max/Maks $2/3$ - If everything is correct, but no arrows/Indien alles korrek is, maar geen pyltjies: Max/Maks $2/3$ - If force(s) do not make contact with the dot /Indien krag(te) nie met die kolletjie kontak maak nie: Max/Maks $2/3$	

(3)

7.2.3

$$F = \frac{kQ_1Q_2}{r^2}$$

$$= \frac{(9 \times 10^9)(6 \times 10^{-9})(3 \times 10^{-9})}{0,03^2} \checkmark$$

$$= 1,80 \times 10^{-4} \text{ N}$$

$$w = mg$$

$$= (1,5 \times 10^{-4})(9,8) \checkmark$$

$$= 1,47 \times 10^{-3} \text{ N}$$

$$\tan \theta = \frac{F_E}{mg}$$

$$= \frac{1,8 \times 10^{-4}}{1,47 \times 10^{-3}} \checkmark$$

$$\theta = 7^\circ \checkmark$$

(5)
[13]

QUESTION 8/VRAAG 8

8.1

Marking criteria/Nasienkriteria

If any of the underlined key words/phrases in the **correct context** is omitted deduct 1 mark. / Indien enige van die onderstreepte sleutelwoorde/frases in die **korrekte konteks** uitgelaat is, trek 1 punt af.

The potential difference (voltage) across a conductor is directly proportional to the current in the conductor at constant temperature. ✓✓

Die potensiaalverskil (spanning) oor 'n geleier is direk eweredig aan die stroom in die geleier by konstante temperatuur.

OR/OF

The current in a conductor is directly proportional to the potential difference (voltage) across the conductor if the temperature is constant. ✓✓

Die stroom in 'n geleier is direk eweredig aan die potensiaalverskil (spanning) oor die geleier indien die temperatuur konstant is.

OR/OF

The ratio of potential difference to current for a conductor is constant provided the temperature is constant. ✓✓

Die verhouding van potensiaalverskil tot stroom vir 'n geleier is konstant indien die temperatuur konstant bly.

(2)

8.2.1

OPTION 1/OPSIE 1

$$V_p = V_L$$

$$0,8(13) \checkmark = I_L(9,5) \checkmark$$

$$I_L = 1,09 \text{ A} \checkmark$$

OPTION 2/OPSIE 2

$$I_{R_L} = I_{R_{13}} \left(\frac{R_{13}}{R_L} \right)$$

$$I_{R_L} = (0,8) \checkmark \left(\frac{13}{9,5} \right) \checkmark$$

$$= 1,09 \text{ A} \checkmark$$

(3)

8.2.2

POSITIVE MARKING FROM QUESTION 8.2.1 /**POSITIEWE NASIEN VANAF VRAAG 8.2.1****OPTION 1/OPSIE 1**

$$V_p = V_{9\Omega}$$

$$10,40 \checkmark = I_{9\Omega}(9) \checkmark$$

$$I_{9\Omega} = 1,16 \text{ A}$$

OR/OF

$$V_p = V_{9\Omega}$$

$$I_1 R_{13} = I_{9\Omega} R_{9\Omega}$$

$$(0,8)(13) \checkmark = I_{9\Omega}(9) \checkmark$$

$$I_{9\Omega} = 1,16 \text{ A}$$

OPTION 2/OPSIE 2

$$I_{R_{9\Omega}} = I_{R_{13}} \left(\frac{R_{13}}{R_9} \right)$$

$$I_{R_{9\Omega}} = (0,8) \left(\frac{13}{9} \right) \checkmark$$

$$= 1,16 \text{ A}$$

$$I_{\text{total}} = I_{13\Omega} + I_L + I_{9\Omega}$$

$$= 0,8 + 1,09 + 1,16 \checkmark$$

$$= 3,05 \text{ A} \checkmark$$

(4)



8.2.3 **POSITIVE MARKING FROM QUESTION 8.2.2. /**
POSITIEWE NASIEN VANAF VRAAG 8.2.2.

OPTION 1/OPSIE 1	OPTION 2/OPSIE 2
$\begin{aligned}\varepsilon &= V_{\text{ext}} + V_{\text{int}} \checkmark \\ &= V_{\text{ext}} + Ir \\ 24 &= V_{\text{ext}} + 3,05(0,3) \checkmark \\ V_{\text{ext}} &= 23,09 \text{ V} \\ \\ V_{\text{ext}} &= V_p + V_R \\ 23,09 &= 10,40 + V_R \checkmark \\ V_R &= 12,69 \text{ V} \\ \\ V &= IR \\ 12,69 &= (3,05)R \checkmark \\ R &= 4,16 \Omega \checkmark \\ \\ &(\text{Range: } 4,159 \Omega - 4,161 \Omega)\end{aligned}$	$\begin{aligned}R_{p1} &= \left(\frac{R_1 R_2}{R_1 + R_2} \right) \quad \text{OR/OF} \quad \frac{1}{R_p} = \frac{1}{R_1} + \frac{1}{R_2} + \frac{1}{R_3} \\ &= \frac{13 \times 9,5}{13 + 9,5} \\ R_{p1} &= 5,49 \Omega \\ R_{p2} &= \frac{5,49 \times 9}{5,49 + 9} \checkmark \\ R_{p1} &= 3,41 \Omega \\ \\ \varepsilon &= I(R + r) \checkmark \\ 24 &= 3,05(R_{\text{ext}} + 0,3) \checkmark \\ R_{\text{ext}} &= 7,57 \Omega \\ \\ R_{\text{ext}} &= R_p + R \\ 7,57 &= 3,41 + R \checkmark \\ R &= 4,16 \Omega \checkmark\end{aligned}$

(5)

8.3 Decreases/Neem af ✓

The total resistance increases ✓ / Totale weerstand neem toe

(2)

8.4 Increases/Neem toe ✓

V_{Lost} decreases V_R decreases ✓ thus V_L larger ✓ / V_{verlore} neem af, V_R neem af, V_L neem toe

R_L constant/konstant and/en $P = \frac{V^2}{R}$ ✓ therefore L is brighter/daarom is L helderder

OR/OF

V_{Lost} decreases V_R decreases ✓ thus V_L larger ✓ / V_{verlore} neem af, V_R neem af, V_L neem toe

I_L increases/neem toe

R_L constant/konstant and/en $P = I^2 R$ ✓ therefore L is brighter/daarom is L helderder

(4)

8.5 C ✓, D ✓ and/en F ✓ OR/OF A_1 , A_2 and $V_9 \Omega$

(3)

[23]



QUESTION 9/VRAAG 9



9.1.1 North/Noord ✓✓

(2)

9.1.2 **ANY ONE** of the following./**ENIGE EEN** van die volgende

- Increase speed of the rotation ✓ /Verhoog spoed van rotasie
- Increase number of coils (turns) ✓ /Meer windings
- Use stronger magnet/ curved magnets/electromagnets/insert soft iron core/Gebruik sterker magnet/geboë magnet/elektromagneet/voeg sagte ysterkern by

(1)

9.1.3 **OPTION 1/OPSIE 1****OPTION 2/OPSIE 2****Criteria for graph/Kriteria vir grafiek**

Graph starts with maximum current/ Grafiek begin met maksimum stroom. ✓

Graph drawn for one cycle/one complete wavelength./
Grafiek geteken vir een siklus/een volledige golflengte. ✓

Correct shape (cosine graph)./Korrekte vorm (cosinus grafiek) ✓

(3)

9.2.1 **Marking criteria/Nasienkriteria**

If any of the underlined key words/phrases in the **correct context** is omitted deduct 1 mark./Indien enige van die onderstreepte sleutelwoorde/frases in die **korrekte konteks** uitgelaat is, trek 1 punt af.

Root-mean-square current is the alternating current (AC) that dissipates the same amount of energy/heating effect as an equivalent direct current (DC) current. ✓✓

Die wortelgemiddeldekwadraat-stroom is die wisselstroom (WS) wat dieselfde hoeveelheid energie verbruik/verhittingseffek het as 'n ekwivalente gelykstroom (GS) het.

Note: If energy or heating effect is omitted: 0/2

LET WEL: Indien energie of verhittingseffek uitgelaat is: 0/2

(2)

9.2.2 **OPTION 1/OPSIE 1**

$$V_{\text{rms}} = \frac{V_{\text{max}}}{\sqrt{2}}$$

$$= \frac{340}{\sqrt{2}} \checkmark$$

$$= 240,42 \text{ V}$$

$$P_{\text{ave}} = V_{\text{rms}} I_{\text{rms}} \checkmark$$

$$1200 = (240,42) I_{\text{rms}} \checkmark$$

$$I_{\text{rms}} = 4,99 \text{ A} \checkmark$$

OPTION 2/OPSIE 2

$$P_{\text{ave}} = \frac{I_{\text{max/maks}} \times V_{\text{max/maks}}}{2}$$

$$1200 = \frac{I_{\text{max/maks}} \times 340}{2} \checkmark$$

$$I_{\text{max/maks}} = 7,06 \text{ A}$$

$$I_{\text{rms}} = \frac{I_{\text{max}}}{\sqrt{2}} \checkmark$$

$$= \frac{7,06}{\sqrt{2}} \checkmark$$

$$= 4,99 \text{ A} \checkmark$$

(4)

9.2.3 **POSITIVE MARKING FROM QUESTION 9.2.2 /
POSITIEWE NASIEN VANAF VRAAG 9.4.1.**

OPTION 1/OPSIE 1	OPTION 2/OPSIE 2	OPTION 3/OPSIE 3
$R = \frac{V_{rms}}{I_{rms}} \checkmark$ $= \frac{240,42}{4,99} \checkmark$ $R = 48,18 \Omega \checkmark$	$P_{ave} = I_{rms}^2 R \checkmark$ $1200 = (4,99)^2 R \checkmark$ $R = 48,19 \Omega \checkmark$	$P_{ave} = \frac{V_{rms}^2}{R} \checkmark$ $1200 = \frac{240,42^2}{R} \checkmark$ $R = 48,17 \Omega \checkmark$

(3)
[15]

QUESTION 10/VRAAG 10

- 10.1 **Marking criteria/Nasienkriteria**
If any of the underlined key words/phrases in the **correct context** is omitted deduct 1 mark./Indien enige van die onderstreepte sleutelwoorde/frases in die **korrekte konteks** uitgelaat is, trek 1 punt af.

The minimum energy (of incident photons) that can eject electrons from a metal/surface. ✓✓

Die minimum energie (van invallende fotone) wat elektrone kan vrystel vanuit 'n metaal/oppervlak.

NOTE: If reference to frequency: 0/2

LET WEL: Indien na frekwensie verwys word: 0/2

(2)

- 10.2 1 ✓✓

(2)

- 10.3.1
- $$E_{k(max)} = \frac{1}{2} m v_{max}^2 \checkmark$$
- $$\frac{2,99 \times 10^{-19}}{v_{max}} = \frac{1}{2} (9,11 \times 10^{-31}) v_{max}^2 \checkmark$$
- $$v_{max} = 8,10 \times 10^5 \text{ m} \cdot \text{s}^{-1} \checkmark$$
- (3)

- 10.3.2
- $$\left. \begin{aligned} E &= W_0 + E_{k(max)} \\ hf &= W_0 + E_{k(max)} \end{aligned} \right\} \checkmark \text{ Any one/Enige een}$$
- $$= 3,68 \times 10^{-19} \checkmark + 2,99 \times 10^{-19} \checkmark$$
- $$E = 6,67 \times 10^{-19} \text{ (J)} \checkmark$$
- (4)

- 10.4 Remains the same/Bly dieselfde✓
The energy of the incident photons is not changing./Die energie van die invallende fotone verander nie ✓

OR/OF

Kinetic energy is affected by/depends on the frequency of the photons and the frequency remains the same✓/Kinetiese energie word beïnvloed deur/hang af van die frekwensie van die fotone.

(2)
[13]

TOTAL/TOTAAL: 150

