

You have Downloaded, yet Another Great Resource to assist you with your Studies ©

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexampapers.co.za







Iphondo leMpuma Kapa: Isebe leMfundo Provinsie van die Oos Kaap: Department van Onderwys Porafensie Ya Kapa Botjahabela: Lefapha la Thuto

NATIONAL SENIOR CERTIFICATE

GRADE 12

SEPTEMBER 2025

MATHEMATICAL LITERACY P2 MARKING GUIDELINE

MARKS: 150

| Symbol | Explanation |
|--------|--|
| M | Method |
| MA | Method with accuracy |
| CA | Consistent accuracy |
| A | Accuracy |
| C | Conversion |
| S | Simplification |
| RT | Reading from a table/graph/diagram |
| SF | Correct substitution in a formula |
| 0 | Opinion/Explanation/Reasoning |
| P | Penalty, e.g. for no units, incorrect rounding off etc. |
| R | Rounding Off/Reason |
| NPR | No penalty for correct rounding minimum two decimal places |
| AO | Answer only |
| MCA | Method with consistent accuracy |
| RCA | Rounding with consistent accuracy |

This marking guideline consists of 11 pages.



Proudly South African

NOTE:

- If a candidate answers a question TWICE, only mark the FIRST attempt.
- If a candidate has crossed out (cancelled) an attempt to a question and NOT redone the solution, mark the crossed out (cancelled) version.
- Consistent Accuracy (CA) applies in ALL aspects of the marking guidelines; however, it stops at the second calculation error.
- If the candidate presents any extra solution when reading from a graph, table, layout plan and map, then penalise for every extra incorrect item presented.

KEY TO TOPIC SYMBOL:

F = Finance; M = Measurement; MP = Maps, plans and other representations; P = Probability

| | QUESTION 1 [27 MARKS] ANSWER ONLY FULL MARK | | | |
|-------|---|--|----------|--|
| QUEST | QUESTION I [27 MARKS] ANSWER ONLY FULL M | | | |
| Ques. | Solution | Explanation | Level | |
| 1.1.1 | 21 learners ✓✓A | 2A number of learners (2) | MP L1 | |
| 1.1.2 | Ratio = $9:12 \checkmark A$ $3:4 \checkmark A$ | 1A correct ratio 1A simplified form (2) | MP L1 | |
| 1.1.3 | 5 windows ✓✓A | 2A number of windows (2) | MP L1 | |
| 1.1.4 | Clockwise ✓✓A | 2A correct direction (2) | MP L1 | |
| 1.1.5 | Longest side = $8.5 \text{ m} \times 1000 \checkmark\text{C}$ = $8500 \text{ mm} \checkmark\text{A}$ | 1C multiply by 1 000 1A answer in mm (2) | MP L1 | |
| 1.2.1 | Cost of one $m\ell = \frac{R15,00}{250} \checkmark M$ = $R0,06 \checkmark A$ OR 6c/ml | 1M dividing correct values 1A cost of one mℓ (2) | M L1 | |
| 1.2.2 | Size of largest cup = $\frac{500 \text{ ml}}{1000} \checkmark \text{C}$ = 0,5 ℓ \checkmark A | 1C divide by 1 000 1A answer in ℓ | M L1 | |
| 1.2.3 | Capacity refers to the maximum amount of liquid the cup can hold. $\checkmark \checkmark$ A | 2A definition (2) | M L1 | |
| 1.2.4 | Capacity = $\frac{95}{100} \times 500 \text{ m}\ell \checkmark M$ = $475 \text{ m}\ell \checkmark A$ | 1M multiply correct values 1A capacity in mℓ (2) | M L1 | |
| 1.3.1 | One unit on the map represents five units in reality. OR 1 cm on the map represents 5 cm in reality. A | 2A explanation (2) | MP L1 | |
| 1.3.2 | Diameter = 15,35 cm \times 2 \checkmark M = 30,7 cm \checkmark A = 31 cm \checkmark R | 1M multiply by 2 1A diameter 1R rounding (3) | M L1 | |
| 1.3.3 | Circumference of a circle = $2 \times \pi \times \text{radius}$ = $2 \times 3,142 \times 15,35 \checkmark \text{SF}$ = $96,4594$ = $96,459 \text{ cm} \checkmark \text{A}$ | 1SF substitution 1A circumference NPR (2) | M L1 | |
| 1.3.4 | Circumference refers to the total distance around the mirror. | 2A definition (2) PAPERS [27] | M L1 | |

| Ques. | Solution | Explanation | Level |
|-------|---|---|----------|
| 2.1.1 | Southwest OR SW $\checkmark \checkmark$ A West of south | 2A correct direction (2) | MP L1 |
| 2.1.2 | On courts seats = $4\sqrt{A}$ Super row seats = $21\sqrt{A}$ Decimal fraction = $\frac{4}{21}$ = $0,190$ = $0,2\sqrt{R}$ | 1A number of on court seats 1A number of super row seats 1R correct rounding (3) | MP L1 |
| 2.1.3 | Coming through the players entrance, walk straight until seat 5, \checkmark A then turn right and walk straight behind the cameras to seat 10. \checkmark A Turn right and walk straight to seat 15, turn right passing seat 15, 16 and 17 until seat 18. \checkmark A (Accept any logical direction given) | 1A straight to seat 5 1A behind the cameras to seat 10 1A passing seat 15, 16 and 17 until seat 18 (3) | MP L2 |
| 2.1.4 | The view from front row seats is clearer and uninterrupted. $\checkmark \checkmark A$ OR It gives the best view of performances. $\checkmark \checkmark A$ (Accept any other relevant explanation) | 2A explanation (2) | MP L4 |
| 2.2.1 | University of South Melbourne, Southbank ✓RT Australian Institute of Interns ✓RT | 1RT first institution 1RT second institution (Accept any order) (2) | MP L2 |
| 2.2.2 | Actual distance = 18,3 cm × 35 550 \checkmark M = 650 565 cm \checkmark A = $\frac{650 565}{100 000} \checkmark$ C = 6,50565 km \approx 6,51 km \checkmark CA (Accept 6,5 km OR 6,506 km) | 1M multiplying with scale 1A answer 1C dividing by 100 000 1CA actual distance (NPR) | MP L2 |
| 2.2.3 | Melbourne cricket ground ✓✓A | 2RT correct place identified (2) | MP L2 |



| 2,7 km (GF | 1SF substitution | MP |
|--|--|-----|
| Time spent walking $=\frac{1}{20 \text{ km/h}} \checkmark \text{SF}$ | | L4 |
| $= 0.135 \text{ hours} \times 60 \checkmark \Delta$ | | LŦ |
| $= 8.1 \text{ minutes } \checkmark CA$ | Te time in innutes | |
| $\left\ \mathbf{OR} \stackrel{1}{\longrightarrow} \times 33 \right\ \sqrt{\mathbf{M}}$ | | |
| $\begin{vmatrix} 4 & \sqrt{CA} \\ -8.25 & \text{minutes} \end{vmatrix} \cdot \frac{8.1}{6.1} = 0.2454 \sqrt{M}$ | 1M calculating a | |
| - 6,25 minutes 33 0,2434 1 141 | quarter of walking time | |
| = 0.25 VCA | 1CA answer | |
| \therefore The statement is valid \checkmark_{O} | 1O opinion | |
| | (6) | |
| Wolling is a great form of average //A | 2A avalanation | MP |
| Walking is a great form of exercise. V A | 2A explanation | L4 |
| OR | | 2. |
| Walking limits air pollution caused by gas emissions from the car. ✓✓A | | |
| OK . | | |
| Walking is free. Save on petrol cost. ✓ ✓ A | | |
| OR | | |
| When you walk you can take short cuts and avoid traffic | | |
| | | |
| (Accept any other relevant explanation) | (2) | |
| P 1 1 11 2 √Δ | 1 A numerator | P |
| Probability = $\frac{1}{5}$ \checkmark A | | L2 |
| 1 | IA uciioiiiiiatoi | 1.2 |
| | (2) | |
| | Walking limits air pollution caused by gas emissions from the car. ✓✓A OR Walking is free. Save on petrol cost. ✓✓A OR When you walk you can take short cuts and avoid traffic jams. ✓✓A | |



| Ques. | Solution | Explanation | Level |
|-------|--|--|---------|
| 3.1.1 | Area of a rectangle = length × height = 4,75 m × 2,5 m \checkmark SF = 11,875 m ² × 2 coats \checkmark M = 23,75 m ² \checkmark A | 1SF substitution 1M multiply by 2 coats 1A area for 2 coats | F L3 |
| | No of litres of paint = $\frac{23,75}{5,9} \checkmark M$ = 4,0254 litres ≈ 5 litres $\checkmark R$ | 1M dividing by spread rate 1R no of litres of paint | |
| | Cost of paint = 5 litres \times R89,95 \checkmark M = R449,75 \checkmark CA | 1M multiply with cost 1CA cost | |
| | OR | OR | |
| | Area of a rectangle = length × width = 4,75 m × 2,5 m \checkmark SF = 11,875 m ² \checkmark A | 1SF substitution 1A area of wall | |
| | No of litres of paint = $\frac{11,875}{5,9}$ \checkmark M = 2,012711864 × 2 \checkmark M = 4,0254 \approx 5 litres \checkmark R | 1M dividing by spread rate 1M multiply by 2 coats 1R no of litres of paint | |
| | Cost of paint = 5 litres \times R89,95 \checkmark M = R449,75 \checkmark CA | 1M multiply with cost 1CA cost (7) | |
| 3.1.2 | Length of wall = 4,75 m × 100 = 475 cm \checkmark C | 1C length in cm | M L2 |
| | No of desks next to each other = $\frac{475}{145}$ \checkmark M = 3,2758 \checkmark CA \approx 3 desks \checkmark R | 1M divide by length of desk 1CA answer 1R rounding | |
| | $ \begin{array}{c} \mathbf{OR} \\ \text{Length of desk} = \frac{145 \text{ cm}}{100} \end{array} $ | OR | |
| | $= 1,45 \text{ m} \checkmark \text{C}$ | 1C length in m | |
| | No of desks next to each other = $\frac{4,75}{1,45}$ \checkmark M = 3,2758 \checkmark CA \approx 3 desks \checkmark R | 1M divide by length of desk 1CA answer 1R rounding | |



| | 24 | | |
|-------|---|-------------------------------|------|
| 3.2.1 | Width of page = $\frac{21}{100}$ \checkmark C | 1C divide by 100 | M |
| | $= 0.21 \text{ m } \checkmark \text{A}$ | 1A width in meters | L1 |
| | - 0,21 m v A | (2) | |
| | | | |
| 3.2.2 | Length of t-shirt tucked = $\frac{6.95}{100} \times 8.9 \text{ cm } \checkmark \text{M}$ | 1M calculating 6,95% | M |
| | | 1A length of t-shirt tucked | L2 |
| | $= 0.61855 \text{ cm } \checkmark \text{A}$ | | |
| | | | |
| | Length of t-shirt visible = $8.9 \text{ cm} - 0.61855 \text{ cm} \checkmark \text{M}$ | 1M subtraction | |
| | = 8,28145 | 1CA length of t-shirt visible | |
| | ≈ 8,28 cm ✓ CA | | |
| | | | |
| | OR | OR | |
| | % of t-shirt visible = $100\% - 6,95\%$ \checkmark M | 1M subtracting % | |
| | = 93,05% \checkmark A | 1A % of length of t-shirt | |
| | | visible | |
| | Length of t-shirt visible = $\frac{93,05}{100} \times 8,9 \text{ cm} \checkmark M$ | VISIUIC | |
| | | 1M coloulatin ~ 02 050/ | |
| | = 8,28145 | 1M calculating 93,05% | |
| | ≈ 8,28 cm ✓ CA | 1CA length of t-shirt visible | |
| | | (4) | |
| 2.2.2 | A 4 11 4 C 4 9 9 9 9 4 4 | CA for a 2.2.2 | 3.7 |
| 3.2.3 | Actual length of sportswear = $8.28 \text{ cm} + 4 \text{ cm} \checkmark \text{M}$ | CA from 3.2.2 | M |
| | = 12,28 cm ✓ CA | 1M addition | L4 |
| | ∴ Statement is invalid ✓O | <u> </u> | |
| | | 10 opinion | |
| | | (3) | |
| | | | |
| 3.3.1 | Obesity $\checkmark \checkmark RT$ | 2RT correct weight status | M |
| | | (2) | L1 |
| | | | |
| 3.3.2 | $BMI = \frac{82,5 \text{ kg}}{1,72^2} \checkmark SF$ | 1SF substitution | M |
| | 1,722 | 1S simplification | L4 |
| | = 27,8866 ✓ S | 1R rounding to three | |
| | $\approx 27,887 \text{ kg/m}^2 \checkmark \text{R}$ | decimal places | |
| | ∴ Her mother was correct ✓O | 10 opinion | |
| | | $ \qquad \qquad (4) \ $ | |
| | | | |
| 3.3.3 | Eat less fatty food $\checkmark \checkmark A$ | 2A 1 st method | M |
| | OR | 2A 2 nd method | L4 |
| | Eat regular, smaller meals $\checkmark \checkmark A$ | | |
| | Lucios differente de la companya de | | |
| | OR | | |
| | Exercise $\checkmark \checkmark A$ | | |
| | OR | | |
| | Drink enough water ✓✓A | | |
| | OR | | |
| | Limit intake of fizzy drinks ✓✓A | | |
| | (ANY TWO) | | |
| | | (4) | |
| | (Accept any relevant answer) | (4) | [20] |
| | | | [30] |



| QUES. | FION 4 [30 MARKS] | | |
|-------|---|--|----------|
| Ques. | Solution | Explanation | Level |
| 4.1.1 | Area of rectangle = length × width \sqrt{C} = 160 cm × 102,53 cm \sqrt{SF} = 16 404,8 cm ² \sqrt{CA} | 1C conversion 1SF substitution 1CA area in cm ² | M L2 |
| | OR | OR | |
| | Area of rectangle = length × width = 1 600 mm × 1 205,3 mm \sqrt{SF} = 1 640 480 mm ² $\therefore \frac{1 640 480}{100} \sqrt{C}$ = 16 404,8 cm ² \sqrt{CA} | 1SF substitution 1C conversion 1CA area in cm ² (3) | |
| 4.1.2 | Scale = 30 mm : 1 600 mm = $\frac{30}{30}$: $\frac{1 600}{30} \checkmark M$ Accept 1:53 OR 1:53,3 = 1 : 53,33 \checkmark A | 1M divide by 30 1A scale NPR (2) | MP L1 |
| 4.1.3 | Length of container = $\frac{6.5 \text{ m}}{1,605 \text{ m}} \checkmark \text{M}$ = $4,049$ $\approx 4 \text{ boxes } \checkmark \text{A}$ | 1M dividing lengths 1A no. of boxes on length | MP L3 |
| | Width of container = $\frac{2.5 \text{ m}}{0.1 \text{ m}}$ = 25 boxes \checkmark A | 1A no. of boxes on width | |
| | Height of container = $\frac{2.9 \text{ m}}{1.03 \text{ m}}$ = 2,815 $\approx 2 \text{ boxes } \checkmark \text{A}$ | 1A no. of boxes stacked | |
| | ∴ Total no. of boxes in container = $4 \times 25 \times 2 \checkmark M$ = $200 \text{ boxes} \checkmark CA$ | 1M multiplication 1CA no. of boxes (6) | |
| 4.1.4 | Probability = $\frac{4}{200} \checkmark A \times 100\%$ = $2\% \checkmark CA$ If = $\frac{1}{50} \times 100\% = 2\%$ ONLY 1 MARK | CA from 4.1.3 1A numerator 1A denominator 1CA probability as % (3) | P L2 |
| 4.1.5 | Total cost = R65 750 × 200 \checkmark M = R13 150 000 \checkmark CA | CA from 4.1.3 1M multiply with price 1CA total cost (2) | F L1 |



| 4.1.6 | The protective material prevent damages to the plasma TV when transported. $\checkmark \checkmark$ A | 2A explanation | MP L4 |
|-----------|---|---|----------|
| | OR The protective material keeps the plasma TV from | | |
| | moving in the box and cause possible breakage. $\checkmark \checkmark A$ | | |
| | (Accept any other relevant explanation) | (2) | |
| | | | |
| 4.2.1 | Diameter of bus tyre = $\frac{55}{5} \times 11 \checkmark M$ | 1M dividing and | M |
| | $= 121 \text{ cm } \checkmark \text{CA}$ | multiplying 1CA diameter | L1 |
| | OR | | |
| | Diameter of bus tyre = $\frac{11}{5} \times 55 \checkmark M$ | | |
| | $= 121 \text{ cm } \checkmark \text{CA}$ | (2) | |
| | 121 Cm V CA | (-) | |
| 4.2.2 | Radius = $\frac{55}{2}$ = 27,5 cm \sqrt{M} | 1M finding radius | M |
| | Volume of a cylinder = $\pi \times \text{radius}^2 \times \text{height}$ | | L2 |
| | $= 3,142 \times (27,5)^2 \times 70 \checkmark \text{SF}$ | 1SF substitution | |
| | $= 166 329,625 \text{ cm}^3 \checkmark \text{CA}$ | 1CA volume | |
| | _ | NPR | |
| | (Accept 166 329,6 OR 166 329,63 cm ³) | (3) | |
| 4.2.3 | N C1 1 60 | 1M dividing correct values | M |
| (a) | No. of loads = $\frac{60}{15}$ \checkmark M | 1CA no. of loads | L1 |
| . , | = 4 loads ✓CA | (2) | |
| 400 | T. 1. D. 1. C. (M. | 43.6 11.1 | |
| 4.2.3 (b) | Total cost = $R417 \times 60 \checkmark M$ = $R25 \ 020 \times 2 \checkmark M$ OR $R417 \times 2 \times 60$ | 1M multiply with cost 1M multiply by 2 | F L1 |
| (0) | $ \begin{array}{c c} - R25 020 \times 2 \times M \\ = R50 040 $ | 1A total cost | LI |
| | TO O TO TA | (3) | |
| | | , | |
| 4.2.3 | Preventing vehicle breakdown ✓✓A | 2A correct explanation | M |
| (c) | OR | | L4 |
| | Maintaining the vehicle ensures safety of all passegers, | | |
| | including the driver $\checkmark \checkmark A$ | | |
| | OR | | |
| | Maintaining of vehicle prevents premature wear and | | |
| | tear $\checkmark \checkmark A$ | | |
| | OR | | |
| | Maintaining a vehicle helps to avoid expensive repairs when the vehicle breaks down. ✓✓A | | |
| | (Accept any other relevant explanation) | | |
| | | (2) | |
| | | | [30] |



| (| EC/SEP | TEMBER | 2025) |
|---|--------|--------|-------|
| | | | |

| QUEST | TION 5 | | |
|-------|---|-------------------------------|---------|
| | | | |
| Ques. | Solution | Explanation | Level |
| 5.1.1 | C OR TSA = $\pi \times \text{radius}^2 + (2 \times \pi \times \text{radius} \times \text{height}) \checkmark \checkmark A$ | 2A correct answer | M |
| | | (2) | L1 |
| 5.1.2 | Area of a cylinder = $\pi \times \text{radius}^2$ | 1SF substitution | M |
| | $\frac{65}{3,142} = 3.142 \times \text{radius}^2 \checkmark \text{SF}$ | 1M dividing area with | L2 |
| | 3,142 ✓ M | 3,142 | |
| | Radius ² = $20,68746022$ | 1M finding square root | |
| | ∴ radius = $\sqrt{20,68746022}$ \checkmark M | 1CA radius | |
| | = 4,5483 | NPR | |
| | $= 4,5465$ $= 4,55 \text{ m } \checkmark \text{CA}$ | | |
| | (Accept 4,548 OR 4,5 m) | (4) | |
| | (Accept 4,540 OK 4,5 m) | (4) | |
| 5.1.3 | Volume of a cylinder = $\pi \times \text{radius}^2 \times \text{depth}$ | CA from 5.1.2 | M |
| 3.1.3 | $= 3.142 \times 4.55^2 \times 1.45 \checkmark \text{SF}$ | 1SF substitution | M L3 |
| | $= 5,142 \times 4,33 \times 1,43 \times SF$ = 94,31851975 m ³ \checkmark CA | 1CA volume in cm ³ | L3 |
| | - 94,31831973 III | TCA volume in cin | |
| | No. of litres = $94,3185 \times 1000 \checkmark C$ | 1C converting to liters | |
| | = 94 318,51975 litres | | |
| | | | |
| | No. of gallons $=\frac{94318,51975}{3,785} \checkmark M$ | 1M dividing correct | |
| | · · | values | |
| | = 24 919,02768 gallons | | |
| | \approx 24 919,03 gallons ✓CA | 1CA no. of gallons | |
| | (Accept 24 919 OR 24 919,028) | NPR 		 (5) | |
| | | | |
| 5.1.4 | Rate = $\frac{24919,03}{30000} \times 40$ \checkmark M | CA from 5.1.3 | M |
| | | 1M dividing correct | L4 |
| | = 33,225 hours ✓CA ∴ Mr Rosseau's claim is VALID ✓O | values and multiply | |
| | IVII KUSSCAU S CIAIIII IS V ALID V U | by 40 | |
| | | 1CA no. of hours | |
| | | 10 opinion | |
| | | (3) | |
| 5 2 1 | Hainha af angan = 17 am = 1.5 am = 0.5 | 1M and the attent | N f |
| 5.2.1 | Height of sugar = $17 \text{ cm} - 1.5 \text{ cm} \checkmark \text{M}$ | 1M subtraction | M |
| | = 15,5 cm ✓A | 1A answer | L1 |
| | | (2) | |
| | | | |



| 5.2.2 | $TSA = \pi \times radius^2 + (2 \times \pi \times radius \times height)$ | | M |
|-------|---|---|----------|
| | · · · · · · · · · · · · · · · · · · · | | L3 |
| | $= 3.142 \times 7^{2} + (2 \times 3.142 \times 7 \times 17) \checkmark SF$ $= 901.754 \text{ cm}^{2} \checkmark CA$ $TSA = (length \times width) + 2 \times (length \times height) + 2$ | 1M finding the radius 1SF substitution 1CA answer | |
| | (width × height) = $(15 \times 13,5) + 2 \times (15 \times 17) + 2 \times (13,5 \times 17) \checkmark SF$ = $202,5 + 510 + 459$ = $1 \ 171,5 \ cm^2 \ \checkmark S$ | 1SF substitution 1S simplification | |
| | Difference in plastic used = $1.71,5 \text{ cm}^2 - 901,754 \text{ cm}^2$ = $269,746 \text{ cm}^2 \checkmark \text{CA}$ | 1M subtraction 1CA answer (7) | |
| 5.2.3 | $0,8521 \text{ g/cm}^3 = \frac{\text{Mass (g)}}{3442,5} \checkmark \text{SF}$ $= 3442,5 \text{ cm}^3 \times 0,8521 \text{ g/cm}^3 \checkmark \text{MCA}$ $= 2933,35425$ | 1SF substitution 1MCA multiplication 1R mass in grams | M L2 |
| | ≈ 2 950 g | (3) | |
| 5.2.4 | Beautifying the product $\checkmark \checkmark A$ OR | 2A explanation | M L4 |
| | Eliminate rust on stainless steel VVA | (2) | |
| 5.3.1 | Speed $ = \frac{\text{Distance}}{\text{Time}} $ $75 \text{ km/h} = \frac{127 \text{ km}}{\text{Time}} \checkmark \text{SF} $ $\text{Time} = \frac{127}{75} \checkmark \text{M} $ $= 1,6933 \text{ hours } \checkmark \text{CA} $ $= 0,6933 \times 60 \checkmark \text{C} $ $= 41,6 \text{ minutes} $ | 1SF substitution 1M changing subject of formula 1CA time in hours 1C converting time 1S time in hours and minutes | MP L3 |
| | Time = 1 hour 42 minutes \checkmark S | (5) | |
| 5.3.2 | Probability = $\frac{1}{2} \checkmark A$ | 1A numerator 1A denominator (2) | P L2 |
| | | | [35] |
| | | TOTAL: | [150] |
| L | | 101.11. | [-00] |

