

SA EXAM PAPERS This Paper was downloaded from SAEXAMPAPERS
SA's Leading Past Year

Exam Paper Portal



You have Downloaded, yet Another Great Resource to assist you with your Studies 😊

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexampapers.co.za



**SA EXAM
PAPERS**

SA EXAM PAPERS

Proudly South African



KWAZULU-NATAL PROVINCE

EDUCATION
REPUBLIC OF SOUTH AFRICA

NATIONAL SENIOR CERTIFICATE

GRADE 12

LIFE SCIENCES

PROVINCIAL STANDARDISED ASSESSMENT

MARCH 2026

MARKING GUIDELINE

MARKS: 100

This marking guideline consists of 9 pages.



PRINCIPLES RELATED TO MARKING LIFE SCIENCES MARCH 2026

1. **If more information than marks allocated is given**
Stop marking when maximum marks are reached and put a wavy line and 'max' in the right-hand margin.
2. **If, for example, three reasons are required and five are given**
Mark the first three irrespective of whether all or some are correct/incorrect.
3. **If whole process is given when only part of it is required**
Read all and credit relevant part.
4. **If comparisons are asked for and descriptions are given**
Accept if differences / similarities are clear.
5. **If tabulation is required but paragraphs are given**
Candidates will lose marks for not tabulating.
6. **If diagrams are given with annotations when descriptions are required**
Candidates will lose marks
7. **If flow charts are given instead of descriptions**
Candidates will lose marks.
8. **If sequence is muddled and links do not make sense**
Where sequence and links are correct, credit. Where sequence and links is incorrect, do not credit. If sequence and links becomes correct again, resume credit.
9. **Non-recognised abbreviations**
Accept if first defined in answer. If not defined, do not credit the unrecognized abbreviation but credit the rest of answer if correct.
10. **Wrong numbering**
If answer fits into the correct sequence of questions but the wrong number is given, it is acceptable.
11. **If language used changes the intended meaning**
Do not accept.
12. **Spelling errors**
If recognizable accept provided it does not mean something else in Life Sciences or if it is out of context.
13. **If common names given in terminology**
Accept provided it was accepted at the National memo discussion meeting.
14. **If only letter is asked for and only name is given (and vice versa)**
No credit

15. **If units are not given in measurements**
Candidates will lose marks. Memorandum will allocate marks for units separately
16. Be sensitive to the **sense of an answer, which may be stated in a different way.**
17. **Caption**
All illustrations (diagrams, graphs, tables, etc.) must have a caption
18. **Code-switching of official languages (terms and concepts)**
A single word or two that appears in any official language other than the learners' assessment language used to the greatest extent in his/her answers should be credited, if it is correct. A marker that is proficient in the relevant official language should be consulted. This is applicable to all official languages.

SECTION A**QUESTION 1**

- | | | | | |
|-----|-------|----------------------------|---------|-------------|
| 1.1 | 1.1.1 | B✓✓ | | |
| | 1.1.2 | A✓✓ | | |
| | 1.1.3 | D✓✓ | | |
| | 1.1.4 | C✓✓ | | |
| | 1.1.5 | C✓✓ | | |
| | 1.1.6 | A✓✓ | | |
| | | | (5 x 2) | (12) |
| 1.2 | 1.2.1 | Double helix✓ | | |
| | 1.2.2 | Chiasma✓ | | |
| | 1.2.3 | Ovulation✓ | | |
| | 1.2.4 | Cytokinesis✓ | | |
| | 1.2.5 | Umbilical artery✓ | | |
| | | | (5 x 1) | (5) |
| 1.3 | 1.3.1 | None✓✓ | | |
| | 1.3.2 | A only✓✓ | | |
| | 1.3.3 | Both A and B✓✓ | | |
| | | | (3 x 2) | (6) |
| 1.4 | 1.4.1 | (a) Middle piece✓/neck | | (1) |
| | | (b) Tail✓ | | (1) |
| | 1.4.2 | (a) B✓ Nucleus✓ | | (2) |
| | | (b) A✓ Acrosome✓ | | (2) |
| | | (c) C✓ Middle piece✓/ neck | | (2) |
| | | | | (8) |
| 1.5 | 1.5.1 | (a) Chromosome✓ | | (1) |
| | | (b) Spindle fibre✓ | | (1) |
| | | (c) Cell membrane✓ | | (1) |
| | 1.5.2 | X✓ Centromere✓ | | (2) |

- 1.5.3 Anther✓ (1)
- 1.5.4 (a) 6✓ (1)
- (b) 3✓ (1)
- 1.5.5 Metaphase II✓ (1)
- (9)

TOTAL SECTION A: 40

SECTION B

QUESTION 2

- 2.1 2.1.1 (a) Hydrogen✓ bond (1)
- (b) Thymine✓ (1)
- 2.1.2 DNA replication✓ (1)
- 2.1.3 - Doubles genetic material✓ / DNA
- Ensures that daughter cells are genetically identical✓ Any (1)
- (Mark the first ONE only)**

2.1.4

Transcription	DNA Replication
One strand is used as a template✓	Both strands are used as templates✓
mRNA is formed✓	Identical DNA molecules are formed✓
RNA nucleotides are used✓	DNA nucleotides are used✓
Adenine pairs with uracil✓	Adenine pairs with thymine✓
Short section of DNA molecule is used✓ / unzips	The whole DNA molecule is used✓ / unzips

(Mark the first TWO only)

Any (2 x 2) + (1) table✓ (5)

(9)


- 2.2 2.2.1 - Identifying relatives✓
 - Paternity testing✓
 - Identifying genetic disorders✓
 - Identifying dead persons✓
 - Trace missing persons✓
 - Matching tissues for organ transplants✓ Any (2)
(Mark the first TWO only)
- 2.2.2 (a) 35✓% (1)
 (b) 10✓% (1)
- 2.2.3 - DNA samples from the crime scene and suspect are used✓
 - to form a DNA profile✓
 - If the DNA profile of the suspect matches the one found at the crime scene, then the suspect was at the crime scene✓
OR
 - DNA samples from the crime scene and suspect are used✓
 - to form a DNA profile✓
 - If the DNA profile of the suspect does not match the one found at the crime scene, then the suspect was not at the crime scene✓ (3)
(7)
- 2.3 2.3.1 (a) Transcription✓ (1)
 (b) Val✓ (1)
- 2.3.2 - Molecule X has thymine✓
 - Molecule Z has uracil✓
 - Molecule X is double stranded✓
 - Molecule Z is single stranded✓
 - Molecule X is long✓
 - Molecule Z is short✓
 - Molecule X is double stranded✓
 - Molecule Z is single stranded✓
 - Molecule X has deoxyribose sugar✓
 - Molecule Z has ribose sugar✓ Any (2)
(Mark the first ONE only)
- 2.3.3 (a) CTG✓ (1)
 (b) CUG✓ (1)

- 2.3.4 - Different protein is formed✓
 - since codon CUG changed to CUA✓
 - that matches anticodon GAU✓
 - Bringing leu instead of a different amino acid✓ Any (3)
- 2.3.5 - Each tRNA carries a specific amino acid✓
 - When the anticodon on the tRNA✓
 - matches the codon on the mRNA✓
 - then tRNA brings the required amino acid to the ribosome✓
 - Amino acids become attached to each other by peptide bonds✓
 - to form the required protein✓ Any (5)
(12)
[30]

QUESTION 3

- 3.1 3.1.1 Anaphase I✓ / II (1)
- 3.1.2 As the maternal age increases, the incidence of down syndrome babies per 1 000 mothers increases✓✓ (2)
- 3.1.3 $\left. \frac{(25 - 2.5)}{2.5} \right\} \checkmark \times 100 \checkmark$
 = 900✓ % (3)

3.1.4

**Guideline for assessing the graph**

CRITERIA	ELABORATION	MARK
Correct type of graph (T)	Bar graph drawn	1
Caption of graph (C)	Both variables included	1
Axes labels (L)	X and Y-axis correctly labelled with units	1
Scale for X and Y axes (S)	- Equal space and width of bars for X-axis and - Correct scale for Y-axis	1
Plotting of co-ordinates (P)	- 1 to 4 co-ordinates plotted correctly - ALL 5 co-ordinates plotted correctly	1 2

(6)
(12)

Histogram or line graph drawn

- Lose marks for type of graph and for scale

Transposed axes:

- Can get full credit, if axes labels are swapped and bars are horizontal
- If labels are not corresponding, then lose marks for labels and scale
- Check that the plotting is correct for the given labels

- 3.2 3.2.1 Fertilised eggs develop outside the mother's body until birth✓✓
OR
 Eggs are fertilised internally and develop outside the mother's body until birth✓✓ (2)
- 3.2.2 (a) Fish✓ (1)
 (b) Chicken✓ (1)
- 3.2.3 (a) - Increases the chances of fertilisation✓
 - to compensate for the loss of gametes✓ / protection of gametes (2)
- (b) - Ova are fertilised inside the mother's body✓ to ensure that
 - gametes are protected from predators✓ / harsh environmental conditions
 - and allows high survival rate✓ Any (2)
(8)
- 3.3 3.3.1 Clomid✓ treatment (1)
- 3.3.2 - Age✓
 - Female **with the** same form of infertility✓
 - Dosage of 50 mg in group A✓
 - Measurements taken from days 5 - 9 of the menstrual cycle✓ Any (2)
(Mark the first TWO only)
- 3.3.3 To obtain a baseline measurement✓ (1)
- 3.3.4 - 8 females in each group participated✓
 - Procedure was done over a period of 5 months✓ / 5 consecutive days from day 5 – 9 of the menstrual cycle (2)
(Mark the first TWO only)
- 3.3.5 (a) To show that the changes in FSH levels are due to clomid treatment only✓✓ (2)
- (b) Clomid treatment increases the level of FSH in women with infertility✓✓ (2)
(10)
[30]
- TOTAL SECTION B: 60**
GRAND TOTAL: 100