

SA's Leading Past Year

Exam Paper Portal



You have Downloaded, yet Another Great Resource to assist you with your Studies 😊

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexampapers.co.za





JUNE EXAMINATION GRADE 12

2026

MATHEMATICS (PAPER 2)

SURNAME:										
NAME:										
NAME OF SCHOOL:										
DATE:	2	0	2	6		M	M		D	D

ANSWER ALL THE QUESTIONS IN THE QUESTION PAPER.

QUESTION	MARKER				MODERATOR			
	MARKS			MARKER'S INITIALS	MARKS			MODERATOR'S INITIALS
1	0				0			
2	0				0			
3	0				0			
4	0				0			
5	0				0			
6	0				0			
7	0				0			
8	0				0			
9	0				0			
				TOTAL				

TIME: 3 hours

MARKS: 150

26 pages + an information sheet



SA EXAM PAPERS

Proudly South African

**INSTRUCTIONS AND INFORMATION**

Read the following instructions carefully before answering the questions.


1. This question paper consists of 9 questions. Answer ALL questions in the spaces provided.
2. Clearly show ALL calculations, diagrams, graphs, etc. that you have used in determining your answers.
3. Answers only will NOT necessarily be awarded full marks.
4. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
5. If necessary, round-off answers correct to TWO decimal places, unless stated otherwise.
6. Diagrams are NOT necessarily drawn to scale.
7. An INFORMATION SHEET with formulae is included at the end of the question paper.
8. No pages may be torn from this question paper.
9. Candidates may not retain a question paper or remove it from the examination room. Question papers must be returned to the invigilator at the end of the examination session.
10. Answers must be written in black/blue ink as distinctly as possible. Do NOT write in the margins.
11. Draw a neat line through any work/rough work that must NOT be marked.
12. In the event that you use the additional space provided:
 - 12.1 Write down the number of the question.
 - 12.2 Leave a line and rule off after your answer.
13. Write neatly and legibly.

**SA EXAM PAPERS**

Proudly South African

QUESTION 1


In the diagram below, ARMP is a quadrilateral with vertices $P\left(-1; \frac{11}{2}\right)$, $A(k; h)$, R and $M(-1; -1)$. The diagonals of ARMP intersect at $T(2; 1)$. α and θ are angles of inclination of AM and PR , respectively.



1.1	Calculate the gradient of MT.	(2)
1.2	Determine the equation of the line that is parallel to AM and passes through P, in the form $y = mx + c$.	(3)

**SA EXAM PAPERS**

Proudly South African



1.3	If T is the midpoint of AM, calculate the values of k and h .	(3)
1.4	Calculate the length of AM, leaving your answer in surd form .	(2)
1.5	If it is given that $AP \parallel RM$ and $AR \parallel PM$, determine the coordinates of R.	(3)

**SA EXAM PAPERS**

Proudly South African




1.6	Calculate the size of $\widehat{PTA}$.	(5)
1.7	Show that $\widehat{PAM} \neq 90^\circ$.	(3)
1.8	Calculate the area of ΔMPT .	(4)
		[25]




QUESTION 2

In the diagram below, a circle, centred at $M(p; q)$, touches the x -axis at S and line OA is a tangent to the circle at $N(6; -8)$.



2.1	Calculate:		
	2.1.1	The length of ON	

**SA EXAM PAPERS**

Proudly South African

(2)


	2.1.2	The value of p	(2)
	2.1.3	The gradient of MN	(2)
	2.1.4	The value of q	(2)
2.2	Determine the equation of the circle in the form of $(x - a)^2 + (y - b)^2 = r^2$.		(3)
2.3	$x = k$ is a tangent to the circle. Write down the value(s) of k .		(2)

SA EXAM PAPERS



2.4	The line $y = -\frac{4}{3}x + t$ is perpendicular to OA, passes through M and cuts the circle at two different points. Determine the values of t .	(5)
2.5	Another circle with equation $(x - 10)^2 + (y - 6)^2 = 25$ is given. Will the two circles touch, cut or not? Give a reason for the answer.	(2)

[20]

**SA EXAM PAPERS**

Proudly South African

QUESTION 3

3.1	Given: $\sin A = 2q$ and $\cos A = q$, and $0^\circ < A < 90^\circ$. With the aid of a diagram and without the use of a calculator , calculate:		
	3.1.1	The value of $\tan A$ 	(2)
	3.1.2	The value of q 	(3)
3.2	Given that $\sin 54^\circ = p$, express each of the following in terms of p , without the use of a calculator :		
	3.2.1	$\sin 594^\circ$ 	(2)





	3.2.2	$\cos 36^\circ$	(2)	
	3.2.3	$\cos 18^\circ$	(4)	
	3.3	Simplify the following without the use of a calculator :		(6)
		$\frac{\cos 140^\circ - \sin(90^\circ - \theta)}{\sin 410^\circ + \cos(-\theta)}$		





3.4	Determine, without the use of a calculator , the value of the following trigonometric expression: $\cos(x + 65^\circ) \cdot \cos(x + 20^\circ) - \sin(x + 245^\circ) \cdot \sin(x + 20^\circ)$	(4)
3.5	Determine the general solution of: $\cos^2 x - \sin^2 x = \frac{1}{2}$	(4)




3.6	Given the identity: $\frac{\sin 2\theta \cdot \tan \theta}{\cos 2\theta + 1} = \tan^2 \theta$		
	3.6.1	Prove the identity.	
			(4)
	3.6.2	Determine the value of θ for which the identity is undefined if $0^\circ \leq \theta \leq 180^\circ$.	
			(4)

[35]**SA EXAM PAPERS**

Proudly South African

QUESTION 4

In the diagram below, B, C and D are points on the same horizontal plane. AB is a vertical tower with the angle of elevation from C to A equal to α and $\hat{ACD} = \beta$. $BD = BC = x$.




4.1	Give a reason why $AC = AD$.	(1)
4.2	Write AC in terms of x and α .	(2)
4.3	Show that $CD = \frac{2x \cos \beta}{\cos \alpha}$.	(4)
4.4	Hence, or otherwise, determine the length of CD if $x = 25 \text{ cm}$, $\alpha = 30^\circ$ and $\beta = 65,62^\circ$.	(2)



QUESTION 5

Sketched below is the graph of $f(x) = \cos(x - 45^\circ)$ for $-45^\circ \leq x \leq 180^\circ$.



Use the graph above to answer the questions that follow.

5.1 Write down the range of f for the given interval.

(2)

**SA EXAM PAPERS**

Proudly South African


5.2	Draw the graph of $h(x) = \sin 2x$, for $x \in [-45^\circ; 180^\circ]$ on the same set of axes as the sketch of f below. Indicate all the intercepts with the axes as well as the turning points.	
		(3)
5.3	State the period of h .	
		(1)
5.4	Use your graph to determine the values of x for which f and h are both increasing.	
		(2)
5.5	Determine the values of x for which $f(x) - h(x) = 1$.	
		(2)
5.6	The graph of f is translated 60° to the left to form the graph of g . Write down the equation of g in the form $g(x) = \dots$	
		(1)

[11]**SA EXAM PAPERS**

Proudly South African

QUESTION 6


6.1 A, B, C and D are points on a circle with centre O. DE is a straight line, $\widehat{BAD} = 70^\circ$ and $\widehat{OAB} = 55^\circ$.



Determine, giving reasons, the sizes of the following angles:		
6.1.1	$\widehat{B}_1$	(2)
6.1.2	$\widehat{O}_1$	(2)
6.1.3	$\widehat{D}_1$	(2)
6.1.4	$\widehat{C}_2$	(2)



- 6.2 In the diagram below, P, Q, R and S are points on the circumference of a circle. ERF is a tangent to the circle at R. $\widehat{Q}_1 = 45^\circ$ and $\widehat{R}_3 = x$.




Answer the following questions, giving reasons for your answers.		
6.2.1	Determine the size of $\widehat{S}_1$ in terms of x .	(2)
6.2.2	Prove that $\widehat{P} = x + 45^\circ$.	(4)

[14]**SA EXAM PAPERS**

Proudly South African

QUESTION 7


- 7.1 In the diagram below, $\triangle ABC$ and $\triangle PQR$ are drawn such that $\hat{A} = \hat{P}$, $\hat{B} = \hat{Q}$, and $\hat{C} = \hat{R}$.
DE is drawn such that $AD = PQ$ and $AE = PR$.



7.1.1	Give a reason why $\triangle ADE \equiv \triangle PQR$.	(1)
7.1.2	Hence, prove that $\frac{AB}{PQ} = \frac{AC}{PR}$.	(5)



7.2 C, D and F are points on a circle with centre O. ADF is a straight line and BE is a tangent to the circle at point D. $AB \perp BF$.



7.2.1	Prove that ABCD is a cyclic quadrilateral.	(3)
7.2.2	Prove that AB is a tangent to the circle passing through A, C and F.	(4)

(4)
[13]




SA EXAM PAPERS

Proudly South African

QUESTION 8

8.1 In the diagram below, O is the centre of the circle and C is a point on the circumference of the circle. Chord $AB = 8$ units. $CQ = 8$ units and passes through the centre of the circle. $OQ = x$ units and $CQ \perp AB$.



Calculate, with reasons the length of OC.


(5)



SA EXAM PAPERS

Proudly South African

- 8.2 In $\triangle CAF$ below, B is a point on AC while Q, D and E are points on FC. $BD \parallel AE$ and $BE \parallel AF$.
 $AC : BC = 9 : 5$. $BQ \perp CD$.



8.2.1	Determine the ratio $AB : BC$.	
		(1)
8.2.2	Calculate the length of AC if it is given that $AB = 6$ units.	
		(2)
8.2.3	Determine, with reason(s), the value of $\frac{\text{Area of } \triangle BDC}{\text{Area of } \triangle BED}$.	
		(2)
8.2.4	If it is given that $FC = 15$ units calculate, giving reasons, the length of DE.	
		(4)

[14]




SA EXAM PAPERS

Proudly South African

QUESTION 9

In the diagram below, BCF is a triangle with points B, F and C on the circumference of the given circle. AQ and AR are tangents to the circle at B and C respectively. $FE \perp AB$, $FG \perp BC$ and $FD \perp AC$.



9.1	Prove that $\triangle BEF \parallel \triangle CGF$.	(3)

**SA EXAM PAPERS**

Proudly South African


ADDITIONAL SPACE

SA EXAM PAPERS

Proudly South African

TOTAL: 150
END

INFORMATION SHEET

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$A = P(1 + i)^n$$

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}$$

$$T_n = ar^{n-1}$$

$$F_v = \frac{x[(1+i)^n - 1]}{i}$$

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

$$y - y_1 = m(x - x_1)$$

$$(x - 'n)^2 + (y - b)^2 = r^2$$

$$\text{Area of } \Delta ABC = \frac{1}{2}ab \cdot \sin C$$

$$\sin(\alpha + \beta) = \sin \alpha \cdot \cos \beta + \cos \alpha \cdot \sin \beta$$

$$\cos(\alpha + \beta) = \cos \alpha \cdot \cos \beta - \sin \alpha \cdot \sin \beta$$

$$\cos 2\alpha = \begin{cases} \cos^2 \alpha - \sin^2 \alpha \\ 2\cos^2 \alpha - 1 \\ 1 - 2\sin^2 \alpha \end{cases}$$

$$\bar{x} = \frac{\sum x}{n}$$

$$P(A) = \frac{n(A)}{n(S)}$$

$$\hat{y} = a + bx$$

$$A = P(1 + in)$$

$$A = P(1 - i)^n$$

$$T_n = a + (n - 1)d$$

$$S_n = \frac{a(1-r^n)}{1-r}; r \neq 1$$

$$P_v = \frac{x[1 - (1+i)^{-n}]}{i}$$

$$M\left(\frac{x_1+x_2}{2}; \frac{y_1+y_2}{2}\right)$$

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

$$\text{In } \Delta ABC: \frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$\sigma^2 = \frac{\sum_i^n (x_i - \bar{x})^2}{n}$$

$$P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$$

$$b = \frac{\sum (x - \bar{x})(y - \bar{y})}{\sum (x - \bar{x})^2}$$

$$A = P(1 - in)$$

$$\sum_{i=1}^n 1 = n$$

$$S_n = \frac{n}{2}[2a + (n - 1)d]$$

$$S_\infty = \frac{a}{1-r}; -1 < r < 1$$

$$f'(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$$


$$y = mx + c$$

$$m = \tan \theta$$

$$a^2 = b^2 + c^2 - 2bc \cdot \cos A$$

**SA EXAM PAPERS**

Proudly South African



X05

C2612E



MATHEMATICS P2

(PAPER 2)

MATHEMATICS

2026

GRADE 12

JUNE EXAMINATION



SA EXAM PAPERS

Proudly South African

GAUTENG PROVINCE
REPUBLIC OF SOUTH AFRICA

