

SA's Leading Past Year

Exam Paper Portal



You have Downloaded, yet Another Great Resource to assist you with your Studies 😊

Thank You for Supporting SA Exam Papers

Your Leading Past Year Exam Paper Resource Portal

Visit us @ www.saexampapers.co.za





This Paper was downloaded from SAEXAMPAPERS

GAUTENG PROVINCE
EDUCATION
REPUBLIC OF SOUTH AFRICA

JUNE EXAMINATION GRADE 12 2026

TECHNICAL MATHEMATICS (PAPER 2)

ANSWER ALL THE QUESTIONS IN THE QUESTION PAPER.

SURNAME:										
NAME:										
SCHOOL:										
DATE:	2	0	2	6	-	M	M	-	D	D

QUESTION	MARKER				MODERATOR			
	MARKS		MARKER'S INITIALS		MARKS		MODERATOR'S INITIALS	
1	0				0			
2	0				0			
3	0				0			
4	0				0			
5	0				0			
6	0				0			
7	0				0			
8	0				0			
9	0				0			
10	0				0			
11	0				0			
				TOTAL				

TIME: 3 hours

MARKS: 150

29 pages + a 2-page information sheet



SA EXAM PAPERS

Proudly South African



INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

1. This question paper consists of ELEVEN questions.
2. Answer ALL the questions in the spaces provided.
3. Clearly show ALL calculations, diagrams, graphs, etc. that you have used in determining your answers.
4. Answers only will NOT necessarily be awarded full marks.
5. If necessary, round-off answers to TWO decimal places, unless stated otherwise.
6. Diagrams are NOT necessarily drawn to scale.
7. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
8. A 2-page INFORMATION SHEET with formulae is included at the end of the question paper.
9. Candidates may NOT retain a question paper or remove it from the examination room. Question papers must be returned to the invigilator at the end of the examination session.
10. Answers must be written in blue/black ink as distinctly as possible. Do NOT write in the margins.
11. Indicate the questions you have answered by drawing a circle around the relevant numbers on the front cover of the question paper where marks are to be recorded.
12. Draw a neat line through any work/rough work that must NOT be marked.
13. If you use the additional space provided:
 - 13.1 Write down the number of the question.
 - 13.2 Leave a line and rule off after your answer.
14. Write neatly and legibly.



SA EXAM PAPERS

Proudly South African



This Paper was downloaded from SAEXAMPAPERS

TECHNICAL MATHEMATICS
(PAPER 2)

GR12 0626

3

KEEP THIS PAGE BLANK.




SA EXAM PAPERS

Proudly South African

QUESTION 1

In a diagram below, ΔPQR with vertices $P(2; 3)$, $Q(-4; -1)$ and $R(6; -3)$ is given.

S is the midpoint of PR.



1.1 Determine the coordinates of S, the midpoint of PR.

(2)

1.2 Determine the gradient of PQ.

(2)



SA EXAM PAPERS

Proudly South African

1.3	Hence, determine the size of θ .	
1.4	Show that ΔPQR is right-angled at point P.	
1.5	What can be deduced geometrically about QR in relation to a circle that is drawn through points P, Q and R?	
1.6	Determine the length of the radius of a circle passing through points P, Q and R.	

(3)

(3)

(1)


(3)

[14]**SA EXAM PAPERS**

Proudly South African

QUESTION 2

- 2.1 In the diagram below, the circle with the origin as centre O cuts the line AC at $A(0; 5)$ and $C(x; y)$.
 $M(2; 4)$ is the midpoint of AC .
 BC is a diameter. $OM \parallel BA$



- 2.1.1 Determine the equation of the circle.

(2)

- 2.1.2 Calculate the coordinates of C . (Show ALL calculations.)


(4)




SA EXAM PAPERS


Proudly South African



2.1.3	Write down the size of $\widehat{BAC}$. 	(1)
2.1.4	Determine the equation of AB. 	(3)
2.2	Draw the graph defined by: $\frac{x^2}{25} + \frac{y^2}{50} = 1$ Clearly show ALL the intercepts with the axis. 	(3)

QUESTION 3

3.1	Given: $\hat{S}=\frac{4}{9}\pi$ and $\hat{T}=120^\circ$	
3.1.1	Convert $\hat{S}=\frac{4}{9}\pi$ to degrees.	(1)
3.1.2	Determine the value of: $\cot 2\hat{T} + \sqrt{\sin \hat{S}}$	(3)
3.2	In the diagram below, $OQ=\sqrt{34}$ and $Q(m;-3)$ is a point on the Cartesian plane. θ is a reflex angle.	
		
SA EXAM PAPERS		



SA EXAM PAPERS

Proudly South African

3.2.1	Determine the numerical value of $\cos \theta$, without using a calculator .	
		(3)
3.2.2	Determine, without calculating the value of θ , the numerical value (in simplest form) of: $\cot^2 \theta - 1$	
		(2)
3.3	Determine the value(s) of x if $2 \sin(x + 30^\circ) = 1,5$ and $x \in [0^\circ; 360^\circ]$.	
		(5)

[14]**SA EXAM PAPERS**

Proudly South African

QUESTION 4

4.1	Simplify the following:	
4.1.1	$\sin(2\pi - x)$	(1)
4.1.2	$\cot(\pi - x)$	(1)
4.1.3	$\frac{\sin(2\pi - x) \cdot \operatorname{cosec} x \cdot \cos(180^\circ - x)}{\tan(180^\circ - x) \cdot \cot(\pi - x) \cdot \cos x}$	(5)
4.2	Complete the identity: $\sec^2 \beta - 1 = \dots$	(1)

**SA EXAM PAPERS**

Proudly South African




4.3	Prove the identity that: $\frac{\sin^2 \beta}{1 - \sin^2 \beta} = \sec^2 \beta - 1$	
		(3)

[11]

SA EXAM PAPERS

Proudly South African

QUESTION 5

Given: $h(x) = \tan x$ and $g(x) = \cos x + 1$ for $x \in [0^\circ; 270^\circ]$		
5.1	Write down:	
5.1.1	The amplitude of h	(1)
5.1.2	The period of g	(1)
5.2	If $f(x)$ is the graph of g translated one unit down, write down the equation of f .	(1)
5.3	Draw a sketch graph of h and g on the same set of axes on the graph provided below. Clearly show ALL the turning points, end points and intercepts with the axes.	(7)
		
5.4	Use your graph in QUESTION 5.3 to write down the value(s) of x for which $g(x) \geq h(x)$, where $x \in [90^\circ; 270^\circ]$.	(2)





This Paper was downloaded from SAEXAMPAPERS

TECHNICAL MATHEMATICS
(PAPER 2)

GR12 0626

13

KEEP THIS PAGE BLANK.




SA EXAM PAPERS

Proudly South African

QUESTION 6

The picture and diagram below show the water tower that was caught on camera as it falls. JI is the original height of the tower.



$$HI = 13,11 \text{ m} \text{ and } KJ = 17,21 \text{ m}$$

$$H\hat{I}K = 32^\circ \text{ and } I\hat{K}J = 86^\circ$$

6.1	Complete the following ratio: $\cos 32^\circ = \frac{\dots}{\dots}$	(1)
6.2	Hence, determine the length of KI .	(2)
6.3	Complete the following: $k^2 = i^2 + j^2 - 2 \dots$	(1)



SA EXAM PAPERS

Proudly South African



6.4	Determine JI , the original height of the water tower.	(2)
6.5	Calculate the area of $HIJK$.	(5)

[11]

SA EXAM PAPERS


Proudly South African

Give reasons for your statements in QUESTIONS 7, 8 and 9.

QUESTION 7

In the diagram below, O is the centre of the circle. Radii OQ and OP are drawn.

PT is a tangent at P. $QS \parallel PT$. QRPS is a cyclic quadrilateral. $\widehat{QOP} = 120^\circ$.



7.1 Give, with reasons, THREE other angles, each equal to 60° .

(6)



SA EXAM PAPERS

Proudly South African

7.2	Determine, with reasons, the size of $\hat{R}$.	(2)
7.3	Determine, with reasons, the size of $\hat{P}_3$.	(2)
		[10]

**SA EXAM PAPERS**

Proudly South African


QUESTION 8

8.1 In the diagram below, O is the centre of both the smaller circle and the larger circle.

Chord AB is a tangent to the smaller circle.

$AB = 24$ units

$OA = 13$ units



8.1.1		
(a)	Determine the length of AC.	(2)
(b)	Determine the length of OC.	(2)



SA EXAM PAPERS

Proudly South African


8.1.2	Use the diagram in QUESTION 8.1 and complete the table below, so that the statements and/or reasons are TRUE.		
	STATEMENT	REASON	
	$\angle OCB = \underline{\hspace{2cm}}$	$\tan \perp$ radius	(1)
	$OC = \underline{\hspace{2cm}}$	Common side	(1)
	$OB = OA$	$\underline{\hspace{2cm}}$	(1)
	$\underline{\hspace{2cm}} \equiv \underline{\hspace{2cm}}$	90° , Hypotenuse, Side	(1)

**SA EXAM PAPERS**

Proudly South African

8.2 In the given diagram below, A, B, C, D and E are vertices of the circle.

$$\hat{B}_1 = 30^\circ, \hat{A} = \hat{D}_2 \text{ and } EFB \perp AD.$$



8.2.1 Determine, with reasons, the sizes of the following angles.

(a)


$\hat{D}_1$

(2)

(b)

$\hat{A}$

(1)



SA EXAM PAPERS


Proudly South African

8.2.2	Show that $AD \parallel BC$.	(4)
8.2.3	Show that CE is the diameter of the circle.	(2)

[17]**SA EXAM PAPERS**

Proudly South African

QUESTION 9

9.1	Complete the following theorem statement.	
	A line drawn parallel to one side of a triangle divides the other two sides ...	
		(1)
9.2	The diagram below shows circle QMR with centre O having a radius of 12 units. • OQ and OR are produced to P and T respectively. • PT is a tangent to the circle at M • OM and QR intersect at N such that $OM \perp QR$. • $OR : OT = 6 : 10$ 	
9.2.1	Show, with reasons, that $QR \parallel PT$.	





9.2.2	Determine the ratio of PT : QR (in simplest form).	(2)
9.2.3	Determine the length of MN.	(3)
9.2.4	Determine the value of $\frac{\text{Area } \triangle OTM}{\text{Area } \triangle ORN}$ if NR = 9,6 units and MT = 16 units.	(3)

[12]


SA EXAM PAPERS

Proudly South African

QUESTION 10

10.1 The picture below shows a circular cutting machine. The cutting disc rotates at 3 500 revolutions per minute, and it has a radius of 20 cm.

The diagram alongside the picture depicts the plate and the cutting disc of the circular cutting machine. The length of the plate is 60 cm and $QR = 25$ cm.



10.1.1 Write down the diameter of the cutting disc.

(1)

10.1.2 Determine the length of SP (the height of the segment).

(4)

10.1.3 Convert 3 500 rev/min to rev/sec.

(1)

10.1.4 Hence, determine the angular velocity.

(3)



SA EXAM PAPERS

Proudly South African



10.1.5	Write down the diameter in metres.	(1)
10.1.6	Determine the circumferential velocity, in metres per second.	(3)
10.2	Use the diagram in QUESTION 10.1. It is given that the area of a shaded part is $153,21 \text{ cm}^2$.	
10.2.1	Determine the size of $\hat{QOR}$, which is an obtuse angle. Leave your answer to the nearest degree.	(4)
10.2.2	Determine the arc length of QR.	(3)


[20]

SA EXAM PAPERS

Proudly South African

QUESTION 11

11.1




Determine the area of the irregular figure.

(4)


**SA EXAM PAPERS**

Proudly South African

11.2	Clean Cut Construction must build a swimming pool. The designer wants a cylindrical pool. The swimming pool has an internal diameter of 5 metres and a depth of 3,5 metres.  Surface area of a cylinder = $2\pi r^2 + 2\pi rh$ Volume of a cylinder = $\pi r^2 \times h$ Capacity $1\text{ m}^3 = 1\,000\text{ l}$	
11.2.1	Determine the radius of the swimming pool.	
		(1)
11.2.2	Determine the surface area of the inside of the swimming pool.	
		(3)



11.2.3	The inside area of the swimming pool must be painted with two coats of paint before completion. Determine the amount of paint required if the paint covers $2,3 \text{ m}^2$ per litre.	
11.2.4	When the swimming pool is complete, it must be filled with water. Determine the amount of water (in litres) required if the pool is filled to 14 cm below the top.	(3)
		(5)

[16]

INFORMATION SHEET: TECHNICAL MATHEMATICS

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = -\frac{b}{2a}$$

$$y = \frac{4ac - b^2}{4a}$$

$$a^x = b \Leftrightarrow x = \log_a b, \quad a > 0, a \neq 1 \text{ and } b > 0$$

$$A = P(1 + ni)$$

$$A = P(1 - ni)$$

$$A = P(1 + i)^n$$

$$A = P(1 - i)^n$$

$$i_{eff} = \left(1 + \frac{i}{m}\right)^m - 1$$

$$f'(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + C, n \neq -1$$

$$\int kx^n dx = k \cdot \frac{x^{n+1}}{n+1} + C, n \neq -1$$

$$\int \frac{1}{x} dx = \ln x + C, x > 0$$

$$\int \frac{k}{x} dx = k \ln x + C, x > 0$$

$$\int a^x dx = \frac{a^x}{\ln a} + C, a > 0$$

$$\int ka^{nx} dx = k \cdot \frac{a^{nx}}{n \ln a} + C, a > 0$$

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

$$M\left(\frac{x_2+x_1}{2}; \frac{y_2+y_1}{2}\right)$$

$$y = mx + c$$

$$y - y_1 = m(x - x_1)$$

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

$$\tan \theta = m$$

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

$$\text{In } \triangle ABC: \quad \frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cdot \cos A$$

$$\text{Area of } \triangle ABC = \frac{1}{2} ab \cdot \sin C$$

$$\sin^2 \theta + \cos^2 \theta = 1$$

$$1 + \tan^2 \theta = \sec^2 \theta$$

$$1 + \cot^2 \theta = \operatorname{cosec}^2 \theta$$

$$\pi \text{ rad} = 180^\circ$$

$$\text{Angular velocity} = \omega = 2\pi n \quad \text{where } n = \text{rotation frequency}$$

$$\text{Angular velocity} = \omega = 360^\circ n \quad \text{where } n = \text{rotation frequency}$$

$$\text{Circumferential velocity} = v = \pi D n \quad \text{where } D = \text{diameter and } n = \text{rotation frequency}$$

$$\text{Circumferential velocity} = v = \omega r \quad \text{where } \omega = \text{angular velocity and } r = \text{radius}$$

$$\text{Arc length} = s = r\theta \quad \text{where } r = \text{radius and } \theta = \text{central angle in radians}$$

$$\text{Area of a sector} = \frac{rs}{2} \quad \text{where } r = \text{radius, } s = \text{arc length}$$

$$\text{Area of a sector} = \frac{r^2\theta}{2} \quad \text{where } r = \text{radius and } \theta = \text{central angle in radians}$$

$$4h^2 - 4dh + x^2 = 0 \quad \text{where } h = \text{height of segment, } d = \text{diameter of circle and } x = \text{length of chord}$$

$$A_T = a(m_1 + m_2 + m_3 + \dots + m_n) \quad \text{where } a = \text{width of the equal parts, } m_1 = \frac{o_1 + o_2}{2}$$

$O_n = n^{\text{th}}$ ordinate and $n = \text{number of ordinates}$

OR

$$A_T = a \left(\frac{o_1 + o_n}{2} + o_2 + o_3 + \dots + o_{n-1} \right) \quad \text{where } a = \text{width of the equal parts,}$$

$o_n = n^{\text{th}}$ ordinate and $n = \text{number of ordinates}$



SA EXAM PAPERS

Proudly South African



X05

C2092E



TECHNICAL MATHEMATICS P2

ANSWER ALL THE QUESTIONS IN THE QUESTION PAPER.

(PAPER 2)

TECHNICAL MATHEMATICS

JUNE EXAMINATION
GRADE 12
2026